

US00D504063S

(12) **United States Design Patent** (10) **Patent No.:** **US D504,063 S**
Bretz et al. (45) **Date of Patent:** **** Apr. 19, 2005**

(54) **BOTTLE**
 (75) Inventors: **John M. Bretz**, Crystal Lake, IL (US);
John L. Konieczka, Lake Barrington,
 IL (US); **Scott A. Schoessel**, Evanston,
 IL (US); **Jill Maine**, Chicago, IL (US);
Thomas C. Van Dyk, Ramsey, NJ (US)

(73) Assignee: **Stokely-Van Camp, Inc.**, Chicago, IL
 (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/208,472**

(22) Filed: **Jun. 29, 2004**

Related U.S. Application Data

(63) Continuation of application No. 29/169,390, filed on Oct.
 18, 2002, now abandoned.

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/307; D9/558; D9/551**

(58) **Field of Search** **D9/307, 500-504,**
D9/516-520, 537-543, 549-552, 556-564,
569-570; 215/379-383, 400; 220/890

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,717,525 A	*	1/1988	Iizuka et al.	264/521
D294,117 S		2/1988	Rogler et al.	
D294,118 S		2/1988	Papa	
D294,462 S		3/1988	Ota et al.	
D294,463 S		3/1988	Lang	
D294,678 S		3/1988	Papa	
D295,381 S		4/1988	Papa	
D295,382 S		4/1988	Rogler	
D295,612 S		5/1988	Ota	
4,805,788 A		2/1989	Akiho	
D300,805 S		4/1989	Rogler et al.	
4,863,046 A		9/1989	Collette et al.	
4,927,680 A		5/1990	Collette et al.	
5,005,716 A		4/1991	Eberle	
5,178,290 A		1/1993	Ota et al.	
D345,693 S	*	4/1994	Edstrom	D9/538
5,337,909 A		8/1994	Vaillencourt	

5,341,946 A	*	8/1994	Vaillencourt et al.	215/381
D364,565 S	*	11/1995	Vaillencourt et al.	D9/551
D393,802 S	*	4/1998	Collette et al.	D9/502
D426,460 S		6/2000	Krishnakumar et al.	
D433,322 S		11/2000	Krishnakumar et al.	
D434,330 S	*	11/2000	Rowe et al.	D9/538
D441,641 S		5/2001	Piccioli et al.	
D448,673 S		10/2001	Bretz et al.	
D456,704 S		5/2002	Ranchetti	
D457,055 S		5/2002	Ranchetti	
D457,056 S		5/2002	Ranchetti	
D466,021 S	*	11/2002	Thierjung et al.	D9/538

* cited by examiner

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Lars S. Johnson; James D.
 Ryndak

(57) **CLAIM**

The ornamental design for a bottle, a shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing the new
 design;

FIG. 2 is an elevational view thereof;

FIG. 3 is another elevational view thereof, representing a
 partial rotation of the bottle about its vertical axis from the
 elevational view depicted in FIG. 2;

FIG. 4 is another elevational view thereof, representing a
 partial rotation of the bottle about its vertical axis from the
 elevational view depicted in FIG. 3;

FIG. 5 is another elevational view thereof, representing a
 partial rotation of the bottle about its vertical axis from the
 elevational view depicted in FIG. 4;

FIG. 6 is another elevational view thereof, representing a
 partial rotation of the bottle about its vertical axis from the
 elevational view depicted in FIG. 5;

FIG. 7 is another elevational view thereof, representing a
 partial rotation of the bottle about its vertical axis from the
 elevational view depicted in FIG. 6;

FIG. 8 is a top plan view thereof; and,

FIG. 9 is a bottom view thereof.

The broken line showing is for illustrative purposes only,
 and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 8




FIG. 9

FIG. 6




FIG. 7

