



US00D505630S

(12) **United States Design Patent** (10) **Patent No.:** **US D505,630 S**
Snider et al. (45) **Date of Patent:** **** May 31, 2005**

(54) **SUPPORT ASSEMBLY**

(75) Inventors: **G. Scott Snider**, Bel Air, MD (US);
Oleksiy P. Sergyeyenko, Brockville
(CA); **Stefano F. DeCecco**, Ottawa
(CA)

(73) Assignee: **Black & Decker Inc.**, Newark, DE
(US)

(**) Term: **14 Years**

5,575,073 A * 11/1996 von Wedemayer 33/365
D396,817 S * 8/1998 Webb D10/74
D418,434 S * 1/2000 Krantz D10/69
6,137,568 A * 10/2000 Ohtomo et al. 356/149
6,177,987 B1 * 1/2001 Ting 356/148
6,249,983 B1 * 6/2001 Wright et al. 33/286
D457,446 S * 5/2002 Kallabis D10/69
6,427,347 B1 * 8/2002 Butler, Sr. 33/286
D469,369 S * 1/2003 Durkin D10/69
D479,979 S * 9/2003 Kovacik et al. D8/358
D491,080 S * 6/2004 Wu D10/69

(21) Appl. No.: **29/210,970**

(22) Filed: **Aug. 9, 2004**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/74; D10/69**

(58) **Field of Search** D8/358, 359, 354;
D10/74, 69, 66, 62; 33/290, 286, 293, 365;
242/377, 378; 248/186.1, 676; 356/139.8,
3, 149, 148, 142; 219/121.78

(56) **References Cited**

U.S. PATENT DOCUMENTS

D98,683 S * 2/1936 Langsner D10/74
D189,212 S * 11/1960 Davis D10/66
3,435,532 A * 4/1969 Brasier 33/645
3,604,371 A * 9/1971 Cavalucci 108/156
4,035,084 A * 7/1977 Ramsay 356/139.08
4,088,291 A * 5/1978 Delaplaine et al. 248/186.1
4,629,321 A * 12/1986 Hart et al. 356/248
4,948,086 A * 8/1990 Buol et al. 248/676
D311,145 S * 10/1990 Hayashi D10/66
4,964,218 A * 10/1990 Morghen 33/293
5,208,438 A * 5/1993 Underberg 219/121.78
D348,227 S * 6/1994 Nielsen et al. D10/69
5,501,018 A * 3/1996 Porter 33/290
5,572,797 A * 11/1996 Chase 33/286

OTHER PUBLICATIONS

Popular Mecahnics.com http://popularmechanics.com/home_improvement/tools/2004/8/bd_laser_levels/ Dec. 9, 2004.*

* cited by examiner

Primary Examiner—Jeffrey Asch
Assistant Examiner—Austin Murphy
(74) *Attorney, Agent, or Firm*—Wesley W. Muller


(57) **CLAIM**

The ornamental design for a support assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a support assembly according to the invention.
FIG. 2 is a front elevational view thereof.
FIG. 3 is a rear elevational view thereof.
FIG. 4 is a left elevational view thereof.
FIG. 5 is a right elevational view thereof.
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7