

US00D506989S

(12) **United States Design Patent**
Seil et al.

(10) **Patent No.:** **US D506,989 S**
(45) **Date of Patent:** **** Jul. 5, 2005**

(54) **RADIO TRANSMITTER**

D498,219 S * 11/2004 Hamann D14/138
D500,484 S * 1/2005 Deguchi D14/167

(75) Inventors: **Oliver Duncan Seil**, Pasadena, CA
(US); **Ernesto Quinteros**, Los Angeles,
CA (US)

(73) Assignee: **Belkin Corporation**, Compton, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/195,048**

(22) Filed: **Dec. 4, 2003**

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/155**

(58) **Field of Search** D14/155, 138,
D14/496, 240, 218, 167, 230, 402, 411,
432; D13/168; D10/78, 104; 455/347, 353;
340/825.22, 825.24; 123/179.2

(56) **References Cited**

U.S. PATENT DOCUMENTS

D85,176 S	*	9/1931	Garretson	D14/218
D317,579 S	*	6/1991	Shalvi	D10/101
5,230,563 A	*	7/1993	Shalvi	374/141
D357,201 S	*	4/1995	Novack	D10/104
D381,662 S	*	7/1997	Weissberg et al.	D14/218
D435,580 S	*	12/2000	Grinkus	D17/99
D462,022 S	*	8/2002	Luebke et al.	D10/78
D463,990 S	*	10/2002	Wysocki	D10/101
D479,712 S	*	9/2003	Ng	D14/156
D483,281 S	*	12/2003	Cobigo	D10/104
D487,470 S	*	3/2004	Cobigo	D14/496
D487,735 S	*	3/2004	Wu et al.	D14/138
D489,696 S	*	5/2004	Cho	D14/138
D489,713 S	*	5/2004	Yusa	D14/230
D495,665 S	*	9/2004	Stekelenburg	D13/168
D496,639 S	*	9/2004	Deubler, Jr.	D14/138

OTHER PUBLICATIONS

Internet. *Belkin Catalog*; [http://catalog.belkin.com/IWCat-ProductPage.process?Merchant_Id=1&Product_Id=158087]; Dec. 3, 2003.

Internet. *Griffin Technology*; [http://www.griffintechnology.com/products/itrip/index.html]; Dec. 3, 2003.

Internet. *Belkin Catalog*; [http://catalog.belkin.com/IWCat-ProductPage.process?Merchant_Id=1&Product_Id=140984]; Dec. 3, 2003.

* cited by examiner

Primary Examiner—Joel A. Sincavage

Assistant Examiner—Austin Murphy

(74) *Attorney, Agent, or Firm*—Bryan Cave LLP

(57) **CLAIM**

We claim the ornamental design for the radio transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the radio transmitter shown in a first aspect where a cable of the radio transmitter is wrapped around a body of the radio transmitter;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;


FIG. 6 is a right side elevational view thereof;

FIG. 7 is a bottom, left, rear isometric view thereof;

FIG. 8 is a top, right, front isometric view thereof; and,

FIG. 9 is a top plan view of the radio transmitter shown in a second aspect where the cable of the radio transmitter is unwrapped from the body of the radio transmitter.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9