

US00D507610S

(12) **United States Design Patent** (10) **Patent No.:** **US D507,610 S**
Bretz et al. (45) **Date of Patent:** **** Jul. 19, 2005**

- | | | |
|--------------------|--|---|
| (54) BOTTLE | D393,802
D426,460
D433,322
D434,330
D440,877
D441,641
D448,673
D450,581
D456,704
D457,055
D457,056
D466,021 | * 4/1998 Collette et al. D9/502
6/2000 Krishnakumar et al.
11/2000 Krishnakumar et al.
* 11/2000 Rowe et al. D9/538
4/2001 Lichtman et al.
5/2001 Piccioli et al.
10/2001 Bretz et al.
11/2001 Lichtman et al.
5/2002 Ranchetti
5/2002 Ranchetti
5/2002 Ranchetti
* 11/2002 Thierjung et al. D9/538 |
|--------------------|--|---|
- (75) Inventors: **John M. Bretz**, Crystal Lake, IL (US);
John L. Konieczka, Lake Barrington, IL (US); **Scott A. Schoessel**, Evanston, IL (US); **Jill Maine**, Chicago, IL (US); **Thomas C. Van Dyk**, Ramsey, NJ (US)
- (73) Assignee: **Stokely-Van Camp, Inc.**, Chicago, IL (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/207,999**

(22) Filed: **Jun. 21, 2004**

Related U.S. Application Data

- (63) Continuation of application No. 29/169,380, filed on Oct. 18, 2002, now abandoned.
- (51) **LOC (8) Cl.** **09-01**
- (52) **U.S. Cl.** **D21/667; D21/538; D21/551**
- (58) **Field of Search** D9/307, 500-504, D9/516-520, 537-543, 549-552, 556-564, 569-570; 215/379-383, 400; 220/890

(56) **References Cited**

U.S. PATENT DOCUMENTS

- | | | | | |
|-------------|---|---------|--------------------------|---------|
| 4,717,525 A | * | 1/1988 | Iizuka et al. | 264/521 |
| D294,462 | | 3/1988 | Ota et al. | |
| D295,382 | | 4/1988 | Rogler | |
| 4,805,788 A | | 2/1989 | Akiho | |
| D300,805 | | 4/1989 | Rogler et al. | |
| 4,863,046 A | | 9/1989 | Collette et al. | |
| 5,005,716 A | | 4/1991 | Eberle | |
| 5,178,290 A | | 1/1993 | Ota et al. | |
| D345,693 | * | 4/1994 | Edstrom | D9/538 |
| 5,337,909 A | | 8/1994 | Vaillencourt | |
| 5,341,946 A | * | 8/1994 | Vaillencourt et al. | 215/381 |
| D364,565 | * | 11/1995 | Vaillencourt et al. | D9/434 |
| D382,799 | | 8/1997 | Darr | |

* cited by examiner

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Lars S. Johnson; James D. Ryndak

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle showing the new design;

FIG. 2 is an elevational view thereof;

FIG. 3 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 2;

FIG. 4 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 3;

FIG. 5 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 4;

FIG. 6 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 5;


FIG. 7 is another elevational view thereof, representing a partial rotation of the bottle about its vertical axis from the elevational view depicted in FIG. 6;

FIG. 8 is a top plan view thereof; and,

FIG. 9 is a bottom view thereof.

The broken line showing is for illustrative purposes only, and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8




FIG. 9