



US00D554634S

(12) **United States Design Patent** (10) **Patent No.:** **US D554,634 S**
Huang (45) **Date of Patent:** **** Nov. 6, 2007**

(54) **PORTABLE ELECTRONIC DEVICE**

(75) Inventor: **Kuo-Ching Huang**, Tao-Yuan (TW)

(73) Assignee: **High Tech Computer Corp.**,
Kwei-Shan Industrial Park, Tao-Yuan
(TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/248,135**

(22) Filed: **Jul. 31, 2006**

(30) **Foreign Application Priority Data**

Jul. 3, 2006 (TW) 95303727

(51) **LOC (8) Cl.** **14-02**

(52) **U.S. Cl.** **D14/341**

(58) **Field of Classification Search** D14/341-346,
D14/138; D18/1, 2, 7, 11; 235/145 A, 145 R;
341/22, 23; 345/156, 168, 169, 172, 173;
349/12; 361/680-686; D21/329; 434/323
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,827,071	A *	10/1998	Sorensen et al.	434/323
D490,119	S *	5/2004	Griffin et al.	D21/329
D502,159	S	2/2005	Chan		
D502,455	S *	3/2005	Brandis et al.	D14/138
D507,268	S	7/2005	Schlieffers		
D507,568	S	7/2005	Schlieffers		
6,919,879	B2 *	7/2005	Griffin et al.	345/168
D513,748	S	1/2006	Schlieffers		
D513,749	S	1/2006	Schlieffers		
D517,037	S	3/2006	Corley		
D518,806	S *	4/2006	Husgafvel	D14/138

FOREIGN PATENT DOCUMENTS

JP	D1206404	5/2004
JP	D1246384	8/2005
JP	D1246869	8/2005
JP	D1246870	8/2005

JP	D1246871	8/2005
KR	3020040035029	11/2004
KR	3020040039644	12/2004
KR	3020040039646	12/2004
KR	3020040039648	12/2004
KR	3020040039650	12/2004
TW	531250	5/2003
TW	D102380	1/2005
TW	D111401	6/2006

* cited by examiner

Primary Examiner—Freda S Nunn

(74) *Attorney, Agent, or Firm*—Winston Hsu

(57) **CLAIM**

The ornamental design for a portable electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a portable electronic device providing cellular phone and/or personal digital assistant (PDA) functions, wherein an input apparatus is positioned beside the display panel of the portable electronic device for the user's convenience of scrolling, selecting, or clicking items/objects displayed on the display panel. The input apparatus is capable of replacing a lot of hot keys.

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;


FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view illustrating at least one terminal installed in an embodiment thereof; and,

FIG. 9 is a perspective view illustrating a terminal cover installed in an embodiment thereof.

The structures depicted by means of broken lines in the figures have been shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9