



US00D577590S

(12) **United States Design Patent**
Ulicny

(10) **Patent No.:** **US D577,590 S**
(45) **Date of Patent:** **** Sep. 30, 2008**

(54) **CONTAINER**

(75) Inventor: **Trenton S. Ulicny**, New York, NY (US)

(73) Assignee: **Ty Ku, LLC**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/254,614**

(22) Filed: **Feb. 24, 2006**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529; D9/561**

(58) **Field of Classification Search** D9/682,
D9/686, 693-694, 519, 522-523, 529, 561,
D9/574-575, 414, 549, 544; D7/598; 215/382-384,
215/400; 220/660, 662, 669

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D45,673 S *	4/1914	Hennessy	D9/546
D54,244 S *	12/1919	Corey	D9/783
D94,546 S *	2/1935	Gibson	D9/529
D178,561 S *	8/1956	Wunderly	D9/561
D184,115 S *	12/1958	Stark	D9/529 X
D199,203 S *	9/1964	Dailey	D9/561
D210,115 S *	2/1968	Armour	D9/529
D229,723 S *	12/1973	Grimes	D24/197
D252,982 S	9/1979	Ohmori		
D257,667 S	12/1980	Ito		
D257,956 S	1/1981	Ito		
D263,115 S	2/1982	Ohmori		
D263,563 S	3/1982	Ito		
D280,707 S	9/1985	Imanishi		
D286,097 S	10/1986	Imanishi		
4,658,974 A	4/1987	Fujita		
D294,804 S *	3/1988	Lunderman et al.	D9/529
D369,559 S *	5/1996	Vilval	D9/561
D372,644 S *	8/1996	Husted	D9/529 X
D373,730 S *	9/1996	Baron	D9/504
D374,614 S *	10/1996	Uhl et al.	D9/687
D377,147 S *	1/1997	Baron	D9/529
D392,880 S	3/1998	Fujimoto		
D394,210 S *	5/1998	Fiore	D9/529

5,950,850 A	9/1999	Takamatsu
D425,422 S	5/2000	David
D426,150 S	6/2000	Izumi
D437,214 S	2/2001	Kato
D437,215 S	2/2001	Kato

(Continued)

FOREIGN PATENT DOCUMENTS

CN	3014925 S	8/1992
CN	2156147	2/1994
CN	3026861D	7/1994
CN	3074052D	2/1998
CN	3085755D	9/1998
CN	3019730D	12/1998
CN	2315070 Y	4/1999
CN	2324117	6/1999
CN	2340732	9/1999
CN	2345467	10/1999
CN	2368794	3/2000
CN	2383439 Y	6/2000
CN	3171309D	1/2001

(Continued)

Primary Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Ostrolenk, Faber, Gerb & Soffen, LLP

(57) **CLAIM**

The ornamental design for a container, substantially as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of a container showing my new design, taken in the direction of arrow "A" as shown in FIG. 3;


FIG. 2 is a front elevational view thereof, taken in the direction of arrow "B" as shown in FIG. 3;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof; and,

FIG. 5 is a perspective view thereof.

1 Claim, 2 Drawing Sheets



US D577,590 S

Page 2

U.S. PATENT DOCUMENTS

D459,229 S * 6/2002 Paul D9/529
D468,210 S * 1/2003 Joubert D9/529
D497,038 S * 10/2004 Tsai D28/85
D542,665 S * 5/2007 Poe, II D9/529
D546,693 S * 7/2007 Okin et al. D9/529
D558,050 S * 12/2007 Urcun D9/529
D558,057 S * 12/2007 De Baschmakoff D9/561

FOREIGN PATENT DOCUMENTS

CN 2436437 6/2001
CN 3203626 10/2001
CN 2476213 Y 2/2002
CN 2497650 Y 7/2002
CN 3248556 7/2002
CN 2508650 Y 9/2002
CN 3267270D 12/2002
CN 3268360 12/2002
CN 3307143 7/2003

CN 3308564 7/2003
CN 2568570 8/2003
CN 2576625 Y 10/2003
CN 2594183 Y 12/2003
CN 3344702D 1/2004
CN 2626893 7/2004
CN 2637354 9/2004
CN 1545961 A 11/2004
CN 3406441D 11/2004
CN 2675598 2/2005
CN 3433565D 3/2005
CN 3461720 7/2005
CN 3468122 8/2005
CN 3477612D 9/2005
CN 3483905 11/2005
CN 2680616 Y 2/2006
CN 2772365 4/2006
CN 2776861 5/2006

* cited by examiner




FIG. 1




FIG. 3




FIG. 2




FIG. 4



FIG. 5