



US00D588688S

(12) **United States Design Patent**
Lablaine

(10) **Patent No.:** **US D588,688 S**
(45) **Date of Patent:** **** Mar. 17, 2009**

(54) **DYNAMIC DISPENSER**

Primary Examiner—Sandra Snapp

(75) Inventor: **Bruno Lablaine**, Thivars (FR)

(57) **CLAIM**

(73) Assignee: **Reckitt Benckiser Inc.**, Parsippany, NJ
(US)

The ornamental design for a dynamic dispenser, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/323,017**

FIG. 1 is a front perspective view of a first embodiment of a dynamic dispenser;

(22) Filed: **Aug. 15, 2008**

FIG. 2 is an elevation view of the front thereof;

(30) **Foreign Application Priority Data**

Feb. 20, 2008 (EM) 000884606-0001
Feb. 20, 2008 (EM) 000884606-0002
Feb. 20, 2008 (EM) 000884606-0003

FIG. 3 is an elevation view of the left side thereof;

FIG. 4 is an elevation view of the rear thereof;

FIG. 5 is an elevation view of the right side thereof;

FIG. 6 is a plan view of the top thereof;

FIG. 7 is a plan view of the bottom thereof;

(51) **LOC (9) Cl.** **28-99**

FIG. 8 is a front perspective view of a second embodiment of a dynamic dispenser;

(52) **U.S. Cl.** **D23/368**

(58) **Field of Classification Search** D23/355–396;
261/DIG. 17, DIG. 43, DIG. 65, DIG. 88,
261/DIG. 89; 239/34, 35, 53, 56, 57, 60,
239/136, 326; 392/386, 394, 395; D28/5,
D28/6

FIG. 9 is an elevation view of the front thereof;

FIG. 10 is an elevation view of the left side thereof;

FIG. 11 is an elevation view of the rear thereof;

FIG. 12 is an elevation view of the right side thereof;

See application file for complete search history.

FIG. 13 is a plan view of the top thereof;

FIG. 14 is a plan view of the bottom thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D212,753 S * 11/1968 Tughan D23/369
D275,223 S * 8/1984 Marxen D23/366
D349,157 S * 7/1994 Rymer D23/362
D375,350 S * 11/1996 Patel et al. D23/366
D393,901 S * 4/1998 Kuhn D23/368
D431,075 S * 9/2000 Barraclough D23/366
D438,607 S * 3/2001 Edwards et al. D23/366
D441,441 S * 5/2001 Upson D23/366
D443,924 S * 6/2001 Renella D23/366
D456,888 S * 5/2002 Buthier D23/366
D461,006 S * 7/2002 Buthier D23/366
D493,515 S * 7/2004 Morillas D23/366

FIG. 15 is a front perspective view of a third embodiment of a dynamic dispenser;

FIG. 16 is an elevation view of the front thereof;

FIG. 17 is an elevation view of the left side thereof;

FIG. 18 is an elevation view of the rear thereof;

FIG. 19 is an elevation view of the right side thereof;


FIG. 20 is a plan view of the top thereof; and,

FIG. 21 is a plan view of the bottom thereof.

The broken lines shown are for illustrative purposes only and form no part of the claimed design.

(Continued)

1 Claim, 9 Drawing Sheets



US D588,688 S

Page 2

U.S. PATENT DOCUMENTS

D494,668 S *	8/2004	Morillas	D23/366	D516,193 S *	2/2006	Caserta et al.	D23/366
D498,836 S *	11/2004	Morillas	D23/366	D532,506 S *	11/2006	Caserta et al.	D23/366
D500,550 S *	1/2005	Bariou et al.	D23/368	D544,953 S *	6/2007	Kee	D23/368
D509,891 S *	9/2005	Rymer	D23/366	D553,233 S *	10/2007	Hatch et al.	D23/366
D515,681 S *	2/2006	Muir et al.	D23/366				

* cited by examiner




Fig. 1.




Fig. 2.




Fig.3.




Fig.4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.




Fig. 16.




Fig. 17.




Fig. 18.




Fig. 19.




Fig. 20.



Fig. 21.