



US00D588688S

(12) **United States Design Patent**  
**Lablaine**

(10) **Patent No.:** **US D588,688 S**  
(45) **Date of Patent:** **\*\* Mar. 17, 2009**

(54) **DYNAMIC DISPENSER**

*Primary Examiner*—Sandra Snapp

(75) Inventor: **Bruno Lablaine**, Thivars (FR)

(57) **CLAIM**

(73) Assignee: **Reckitt Benckiser Inc.**, Parsippany, NJ  
(US)

The ornamental design for a dynamic dispenser, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/323,017**

FIG. 1 is a front perspective view of a first embodiment of a dynamic dispenser;

(22) Filed: **Aug. 15, 2008**

FIG. 2 is an elevation view of the front thereof;

(30) **Foreign Application Priority Data**

Feb. 20, 2008 (EM) ..... 000884606-0001  
Feb. 20, 2008 (EM) ..... 000884606-0002  
Feb. 20, 2008 (EM) ..... 000884606-0003

FIG. 3 is an elevation view of the left side thereof;

FIG. 4 is an elevation view of the rear thereof;

FIG. 5 is an elevation view of the right side thereof;

FIG. 6 is a plan view of the top thereof;

FIG. 7 is a plan view of the bottom thereof;

(51) **LOC (9) Cl.** ..... **28-99**

FIG. 8 is a front perspective view of a second embodiment of a dynamic dispenser;

(52) **U.S. Cl.** ..... **D23/368**

(58) **Field of Classification Search** ..... D23/355–396;  
261/DIG. 17, DIG. 43, DIG. 65, DIG. 88,  
261/DIG. 89; 239/34, 35, 53, 56, 57, 60,  
239/136, 326; 392/386, 394, 395; D28/5,  
D28/6

FIG. 9 is an elevation view of the front thereof;

FIG. 10 is an elevation view of the left side thereof;

FIG. 11 is an elevation view of the rear thereof;

FIG. 12 is an elevation view of the right side thereof;

See application file for complete search history.

FIG. 13 is a plan view of the top thereof;

FIG. 14 is a plan view of the bottom thereof;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D212,753 S \* 11/1968 Tughan ..... D23/369  
D275,223 S \* 8/1984 Marxen ..... D23/366  
D349,157 S \* 7/1994 Rymer ..... D23/362  
D375,350 S \* 11/1996 Patel et al. .... D23/366  
D393,901 S \* 4/1998 Kuhn ..... D23/368  
D431,075 S \* 9/2000 Barraclough ..... D23/366  
D438,607 S \* 3/2001 Edwards et al. .... D23/366  
D441,441 S \* 5/2001 Upson ..... D23/366  
D443,924 S \* 6/2001 Renella ..... D23/366  
D456,888 S \* 5/2002 Buthier ..... D23/366  
D461,006 S \* 7/2002 Buthier ..... D23/366  
D493,515 S \* 7/2004 Morillas ..... D23/366

FIG. 15 is a front perspective view of a third embodiment of a dynamic dispenser;

FIG. 16 is an elevation view of the front thereof;

FIG. 17 is an elevation view of the left side thereof;

FIG. 18 is an elevation view of the rear thereof;

FIG. 19 is an elevation view of the right side thereof;


FIG. 20 is a plan view of the top thereof; and,

FIG. 21 is a plan view of the bottom thereof.

The broken lines shown are for illustrative purposes only and form no part of the claimed design.

(Continued)

**1 Claim, 9 Drawing Sheets**



# US D588,688 S

Page 2

---

## U.S. PATENT DOCUMENTS

D494,668 S *	8/2004	Morillas .....	D23/366	D516,193 S *	2/2006	Caserta et al. ....	D23/366
D498,836 S *	11/2004	Morillas .....	D23/366	D532,506 S *	11/2006	Caserta et al. ....	D23/366
D500,550 S *	1/2005	Bariou et al. ....	D23/368	D544,953 S *	6/2007	Kee .....	D23/368
D509,891 S *	9/2005	Rymer .....	D23/366	D553,233 S *	10/2007	Hatch et al. ....	D23/366
D515,681 S *	2/2006	Muir et al. ....	D23/366				

\* cited by examiner




Fig. 1.




Fig. 2.




Fig.3.




Fig.4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig.8.




Fig.9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.






Fig. 15.




Fig. 16.




Fig.17.




Fig.18.




Fig. 19.




Fig. 20.




Fig. 21.