



US00D594726S

(12) **United States Design Patent**  
**Arredondo**

(10) **Patent No.:** **US D594,726 S**  
(45) **Date of Patent:** **\*\* Jun. 23, 2009**

(54) **GUIDE LINE CLAMP**

(76) Inventor: **Paul Arredondo**, 1704 York Dr., Vista,  
CA (US) 92084

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/307,848**

(22) Filed: **May 14, 2008**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/72**

(58) **Field of Classification Search** ..... D8/71-74,  
D8/394, 106, 51, 52, 54, 395; 81/302, 427;  
D13/120; D6/326, 328; 24/500, 508, 509;  
269/237, 218; 439/504; 248/313

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,261,503	A	11/1941	Morris	
2,665,487	A	1/1954	Mastrella	
3,149,390	A *	9/1964	McCoy	D8/72
3,205,582	A	9/1965	Andrews	
3,540,106	A *	11/1970	Goldman	D7/54
3,555,688	A	1/1971	Smathers	
4,084,321	A	4/1978	Huston	
D302,379	S *	7/1989	Strand	D8/72
4,937,946	A	7/1990	Steinhoff	
4,979,703	A *	12/1990	Fleming	D8/394
5,009,015	A	4/1991	Redl	
5,479,713	A	1/1996	Wood	
D372,178	S *	7/1996	Gossett et al.	D8/52
D394,669	S *	5/1998	Becker et al.	D8/395
D399,729	S *	10/1998	Chen	D8/395
6,036,133	A	3/2000	Milligan	
6,073,897	A *	6/2000	Warren et al.	248/313
D433,318	S *	11/2000	Chang	D8/395

D442,047	S *	5/2001	Hicks	D8/72
D457,409	S *	5/2002	Noniewicz	D8/72
D479,787	S *	9/2003	Degen	D8/72
7,263,779	B1	9/2007	Wells	
D571,179	S *	6/2008	Ahlgren	D8/72

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—David G Muller

(74) *Attorney, Agent, or Firm*—Palomar Patent; Calif Tervo

(57) **CLAIM**

The ornamental design for a guide line clamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, bottom, right side perspective view of a first embodiment of a guide line clamp showing my new design;

FIG. 2 is a right side elevation view thereof; the left side elevation view being a mirror image;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a top plan view thereof; and

FIG. 6 is a bottom plan view thereof; and

FIG. 7 is a front, bottom, right side perspective view of a second embodiment of my guide line clamp;

FIG. 8 is a right side elevation view thereof; the left side elevation view being a mirror image;


FIG. 9 is a front elevation view thereof;

FIG. 10 is a rear elevation view thereof;

FIG. 11 is a top plan view thereof; and,

FIG. 12 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 7




FIG. 5




FIG. 3




FIG. 2




FIG. 4




FIG. 6




FIG. 11




FIG. 9




FIG. 8




FIG. 10




FIG. 12