



US00D594863S

(12) **United States Design Patent**
Ichise et al.

(10) **Patent No.:** **US D594,863 S**
(45) **Date of Patent:** **** Jun. 23, 2009**

(54) **MOBILE INFORMATION TERMINAL**

D550,710 S 9/2007 Ichinose
D554,098 S 10/2007 Lee

(75) Inventors: **Kentaro Ichise**, Tokyo (JP); **Taihei Miyaji**, Tokyo (JP)

(73) Assignee: **Kabushiki Kaisha Toshiba**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/321,358**

(22) Filed: **Jul. 15, 2008**

(30) **Foreign Application Priority Data**

Feb. 8, 2008 (JP) 2008-002755

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/345**

(58) **Field of Classification Search** D14/496,
D14/401, 435, 474, 483, 217, 137, 138, 160,
D14/168, 203.1–203.8, 341–347, 138 R,
D14/138 C, 138 G, 454, 439, 455, 456, 192,
D14/239, 247, 315, 327, 331, 336, 338, 339,
D14/374, 393, 394, 399, 400, 429, 432, 125,
D14/126, 129, 130, 314; D21/324, 329,
D21/330, 331, 333; D18/7; D10/32; 455/556.1,
455/556.2, 11.1, 773, 344–347, 93, 95; 379/433.01,
379/433.07, 433.1, 433.11, 433.12, 433.13;
345/169, 156, 173–179, 905; 348/14.02,
348/790; 341/22; 361/680; 273/148 B;
368/281; 715/727–729, 864; 370/342–344;
369/1, 2, 6, 12; 463/43–47
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D484,503 S * 12/2003 Duarte et al. D14/346
D524,809 S * 7/2006 Alcouloumre et al. D14/341
D527,000 S * 8/2006 Hong et al. D14/346
D533,563 S * 12/2006 Kwon et al. D14/203.7
D533,565 S * 12/2006 Kim D14/203.7
D535,305 S * 1/2007 Lee D14/203.7
D546,805 S 7/2007 Kim et al.
D550,174 S * 9/2007 Deguchi D14/126

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2007-025759 9/2007

(Continued)

Primary Examiner—Cathron C Brooks
Assistant Examiner—Barbara Fox
(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.



(57) **CLAIM**

The ornamental design for a mobile information terminal, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front and left side perspective view a mobile information terminal showing our new design,
FIG. 2 is a bottom, front and left side perspective view with a keyboard in an in use position;
FIG. 3 is a front elevational view of the mobile information terminal of FIG. 1,
FIG. 4 is a rear elevational view thereof,
FIG. 5 is a left side elevational view thereof,
FIG. 6 is a right side elevational view thereof,
FIG. 7 is a top plan view thereof,
FIG. 8 is a bottom plan view thereof,
FIG. 9 is a reduced front elevational view with the keyboard in an in use position; and,
FIG. 10 is a reduced bottom plan view with the keyboard in an in use position.

1 Claim, 4 Drawing Sheets



US D594,863 S

Page 2

U.S. PATENT DOCUMENTS

D554,099 S 10/2007 Kim et al.
7,283,697 B1 * 10/2007 Morikuni et al. 385/14
D555,134 S 11/2007 Sung et al.
D557,238 S 12/2007 Kim
D558,720 S 1/2008 Lee et al.
D559,220 S 1/2008 Lee et al.
D560,192 S 1/2008 Lee et al.
D562,285 S * 2/2008 Lim D14/138 G
D562,292 S 2/2008 Park
D563,933 S 3/2008 Lee et al.
D563,935 S * 3/2008 Kim et al. D14/138 AD
D563,936 S * 3/2008 Kim et al. D14/138 AD
D563,938 S * 3/2008 Kim et al. D14/138 AD
D565,532 S * 4/2008 Arnold D14/138 AD
D565,533 S 4/2008 Kim et al.
D566,089 S 4/2008 Kim et al.
D567,792 S 4/2008 Park et al.
D569,830 S 5/2008 Kwak
D569,837 S * 5/2008 Baik et al. D14/138 G
D570,321 S * 6/2008 Choi et al. D14/138 AD
D570,816 S * 6/2008 Lee et al. D14/138 AD
D572,695 S * 7/2008 Tu D14/138 AD
D575,259 S 8/2008 Kim et al.
D577,018 S * 9/2008 Lin D14/346
D577,353 S * 9/2008 Kim et al. D14/138 AD
D577,354 S * 9/2008 Kim et al. D14/138 AD
D577,703 S * 9/2008 Lee et al. D14/138 G
D577,704 S * 9/2008 Park et al. D14/138 AD
D578,098 S 10/2008 Oh

D578,501 S * 10/2008 Seo et al. D14/138 AB
D578,987 S * 10/2008 Lee et al. D14/138 R
D579,902 S * 11/2008 Kim et al. D14/138 R
D580,392 S * 11/2008 Kim et al. D14/138 R
D580,401 S * 11/2008 Kim et al. D14/138 AD
D580,930 S * 11/2008 Chien et al. D14/346
D581,384 S * 11/2008 Kim et al. D14/138 R
D581,894 S * 12/2008 Kim D14/138 R
D583,342 S * 12/2008 Kim et al. D14/138 G
D583,782 S * 12/2008 Jacobs et al. D14/138 AD
D585,040 S * 1/2009 Kim et al. D14/138 R
D585,411 S * 1/2009 Eaton D14/138 G
D585,413 S * 1/2009 Suk et al. D14/138 AD
7,492,602 B2 * 2/2009 Kim et al. 361/752
D587,668 S * 3/2009 Bang et al. D14/138 AD
D588,085 S * 3/2009 Lin D14/138 AD
2005/0130715 A1 * 6/2005 Fujisawa 455/575.1
2006/0063569 A1 * 3/2006 Jacobs et al. 455/575.1
2007/0254730 A1 * 11/2007 Kim et al. 455/575.4
2007/0287512 A1 * 12/2007 Kilpi et al. 455/575.1
2008/0081591 A1 * 4/2008 Kim et al. 455/349
2008/0119245 A1 * 5/2008 Jeong 455/575.1
2008/0274776 A1 * 11/2008 Cho et al. 455/575.4

FOREIGN PATENT DOCUMENTS

JP D1315981 11/2007
JP D1316437 12/2007
KR 30-0452985 6/2007
KR 30-0452985-1 7/2007

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10

