



US00D596487S

(12) **United States Design Patent**  
**Batton et al.**

(10) **Patent No.:** **US D596,487 S**  
(45) **Date of Patent:** **\*\* Jul. 21, 2009**

(54) **DISPENSING BOTTLE CAP**

(75) Inventors: **Richard A. Batton**, Milwaukee, WI (US); **Paul Larson**, Racine, WI (US); **Jonathan A. Boticki**, Racine, WI (US)

(73) Assignee: **JohnsonDiversey, Inc.**, Sturtevant, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/327,603**

(22) Filed: **Nov. 10, 2008**

**Related U.S. Application Data**

(62) Division of application No. 29/250,966, filed on Dec. 7, 2006, now Pat. No. Des. 582,767.

(51) **LOC (9) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/447; D9/454**

(58) **Field of Classification Search** ..... D9/754, D9/753, 752, 741, 728, 724, 697, 695, 529, D9/524, 516, 454, 447, 445, 444, 442, 443, D9/440, 439, 435, 434, 441; D7/679, 590-597, D7/511, 510, 401.1, 398; 241/169, 169.1, 241/168; 229/906.1; 222/567, 566, 545, 222/482, 480, 356, 151, 149, 142.1-142.9; 220/713, 254.1, 703, 269, 200, 234, 295, 220/304, 310.1, 378, 795, 804, 849, DIG. 19, 220/DIG. 4, DIG. 7; D23/260, 259; 215/200, 215/231, 234, 364; D24/216, 222, 224, 231  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D160,485 S \* 10/1950 Detzel ..... D9/439
- D216,678 S \* 3/1970 Wilcox ..... D9/439
- D275,839 S \* 10/1984 Lutzker ..... D9/439
- 4,854,486 A \* 8/1989 Daley et al. .... 222/484
- 4,948,014 A \* 8/1990 Rutter et al. .... 222/83
- 5,165,578 A \* 11/1992 Laible ..... 222/189.09
- D331,653 S \* 12/1992 Stone ..... D34/11
- D336,042 S \* 6/1993 Bondanza ..... D9/435

- D355,119 S \* 2/1995 Zimmermann et al. .... D9/440
- 5,544,810 A \* 8/1996 Horvath et al. .... 239/10
- 5,586,673 A \* 12/1996 Venooker et al. .... 215/310
- 5,862,948 A \* 1/1999 Duchon et al. .... 222/133
- 5,887,766 A \* 3/1999 Yang ..... 222/466
- 5,988,456 A \* 11/1999 Laible ..... 222/464.1
- 6,045,012 A \* 4/2000 Hansen ..... 222/464.1
- 6,050,459 A \* 4/2000 Johnson et al. .... 222/382
- D432,916 S \* 10/2000 Drinkwater et al. .... D9/447
- 6,142,345 A \* 11/2000 Laible ..... 222/189.1
- 6,202,717 B1 \* 3/2001 Markey et al. .... 141/383
- D453,472 S \* 2/2002 Kwong ..... D9/447
- 6,543,654 B1 \* 4/2003 Uhl et al. .... 222/464.1
- 6,669,062 B1 \* 12/2003 Laible ..... 222/464.1
- 6,733,917 B1 \* 5/2004 Janmey ..... 429/56
- 6,945,433 B2 \* 9/2005 Laible ..... 222/185.1
- 6,968,983 B2 \* 11/2005 Laible ..... 222/464.1

**FOREIGN PATENT DOCUMENTS**

WO 2001/27020 4/2001

\* cited by examiner

*Primary Examiner*—Susan Bennett Hattan  
(74) *Attorney, Agent, or Firm*—Gregory S. Bollis

(57) **CLAIM**


We claim the ornamental design for a dispensing bottle cap, as shown and described.


**DESCRIPTION**

The present application is directed to the ornamental features of a bottle cap having a lock-out feature and adapted to dispense the contents of a bottle when coupled to a bottle having a plug with matching lock-out feature.


FIG. 1 is a top perspective view of a dispensing bottle cap; FIG. 2 is a bottom perspective view of the bottle cap shown in FIG. 1; FIG. 3 is a top view of the bottle cap shown in FIG. 1; FIG. 4 is a side view of the bottle cap shown in FIG. 1; and, FIG. 5 is a bottom view of the bottle cap shown in FIG. 1.

**1 Claim, 3 Drawing Sheets**







**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**