



US00D605329S

(12) **United States Design Patent**  
**Watt et al.**(10) **Patent No.:** **US D605,329 S**  
(45) **Date of Patent:** \*\* **Dec. 1, 2009**(54) **LIGHTING FIXTURE**(75) Inventors: **Graeme Watt**, Bowdon (GB); **Raymond G. Janik**, Wheaton, IL (US); **Michael T. Thornton**, Burr Ridge, IL (US); **Peter F. Thornton, Jr.**, Hinsdale, IL (US); **Edwin Vice, Jr.**, Chicago, IL (US)(73) Assignee: **Focal Point, L.L.C.**, Chicago, IL (US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/336,434**(22) Filed: **May 4, 2009**(51) **LOC (9) Cl.** ..... **26-03**(52) **U.S. Cl.** ..... **D26/76; D26/118**(58) **Field of Classification Search** ..... D26/63, D26/72, 74–77, 118; 362/147, 217.01, 217.02, 362/217.1, 217.12, 217.15, 217.16, 219–225, 362/132, 260–264, 267, 283, 319, 347, 364–366, 362/368, 376; 454/293, 354

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

D127,374 S \* 5/1941 Jordan ..... D26/76  
D130,449 S \* 11/1941 Weber ..... D26/76  
2,715,449 A \* 8/1955 Smith et al. ..... 181/30  
D274,657 S \* 7/1984 Herst et al. ..... D26/76  
4,669,033 A \* 5/1987 Lee ..... 362/319  
5,420,774 A \* 5/1995 Wilson ..... 362/376  
5,934,787 A \* 8/1999 Sharma ..... 362/147  
D421,815 S \* 3/2000 Herst et al. ..... D26/76  
D425,237 S \* 5/2000 Scott ..... D26/118  
6,550,942 B1 \* 4/2003 Zou et al. ..... 362/347  
D507,844 S \* 7/2005 Friedman ..... D26/118  
D521,172 S \* 5/2006 Chen ..... D26/76  
D553,287 S \* 10/2007 Miller ..... D26/75  
D554,793 S \* 11/2007 Bobel ..... D26/76  
D575,898 S \* 8/2008 Tran et al. ..... D26/113  
D591,442 S \* 4/2009 Ford et al. ..... D26/77

D595,444 S \* 6/2009 Shimomura ..... D26/76  
2004/0257802 A1 \* 12/2004 Helenowski ..... 362/217  
2008/0088770 A1 \* 4/2008 Hwang et al. ..... 349/64

\* cited by examiner

*Primary Examiner*—Philip S Hyder*Assistant Examiner*—Susan E Krakower(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a top front right perspective view of a lighting fixture showing a first embodiment of our new design;

FIG. 2 is a front view thereof, the rear view being an identical view thereof;

FIG. 3 is a right side view thereof, the left side view being an identical view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a bottom front right perspective view thereof;

FIG. 7 is a top front right perspective view of a lighting fixture showing a second embodiment of our new design;

FIG. 8 is a front view thereof, the rear view being an identical view thereof;


FIG. 9 is a right side view thereof, the left side view being an identical view thereof;


FIG. 10 is a top view thereof;

FIG. 11 is a bottom view thereof; and,

FIG. 12 is a bottom front right perspective view thereof.


The dot-dot broken lines representing the remainder of the lighting fixture are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**




**Fig. 1**


**Fig. 2**




**Fig. 3**




**Fig. 4**




**Fig. 5**




**Fig. 6**




**Fig. 7**




**Fig. 8**




**Fig. 9**




**Fig. 10**



**Fig. 11**





**Fig. 12**