



US00D605512S

(12) **United States Design Patent**  
**Weber**

(10) **Patent No.:** **US D605,512 S**  
(45) **Date of Patent:** **\*\* Dec. 8, 2009**

(54) **CLOSURE FOR CONTAINER**  
(76) Inventor: **Heinz Weber**, 64 Gables Court,  
Beaconsfield, Quebec (CA) H9W 5H4  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/314,302**  
(22) Filed: **Mar. 20, 2009**  
(51) **LOC (9) Cl.** ..... **09-07**  
(52) **U.S. Cl.** ..... **D9/449; D9/454**  
(58) **Field of Classification Search** ..... D9/556,  
D9/529, 454, 453, 452, 449, 443, 439, 504,  
D9/450, 447, 446, 730-732, 435; D8/312;  
D7/392.1; D23/261; D14/217; D12/197;  
229/123.1; 222/541.2, 575, 566, 556, 552,  
222/519, 494, 480, 479, 212, 565; 220/288,  
220/810, 781; 215/350, 344, 295, 270, 256,  
215/252, 218, 216, 209, 206, 235, 236, 331,  
215/220; 206/534; 116/308-315  
See application file for complete search history.

D525,136 S \* 7/2006 Bakic ..... D9/522  
D526,195 S \* 8/2006 Jelich et al. .... D9/449  
D526,562 S \* 8/2006 Jelich et al. .... D9/435  
D527,641 S \* 9/2006 Bakic ..... D9/529  
D527,999 S \* 9/2006 Jelich et al. .... D9/449  
D528,005 S \* 9/2006 Bakic ..... D9/529  
D529,388 S \* 10/2006 Bakic ..... D9/529  
D529,393 S \* 10/2006 Bakic ..... D9/574  
D529,802 S \* 10/2006 Jelich et al. .... D9/449  
D529,810 S \* 10/2006 Davies et al. .... D9/529  
D529,811 S \* 10/2006 Ratzlaff ..... D9/529  
D529,812 S \* 10/2006 Ratzlaff ..... D9/529  
D530,204 S \* 10/2006 Zaidman ..... D9/449  
D534,426 S \* 1/2007 Bakic ..... D9/449  
D538,162 S \* 3/2007 Smith ..... D9/449  
D539,144 S \* 3/2007 Penfold et al. .... D9/449  
D546,695 S \* 7/2007 Penfold et al. .... D9/529  
D547,606 S \* 7/2007 Forsman ..... D7/396.2  
D574,712 S \* 8/2008 Bakic ..... D9/522  
D576,494 S \* 9/2008 Bakic ..... D9/529  
D576,875 S \* 9/2008 Steiger et al. .... D9/449  
D579,328 S \* 10/2008 Ribadeneira Mejia  
et al. .... D9/442

(Continued)

*Primary Examiner*—Susan Bennett Hattan  
(74) *Attorney, Agent, or Firm*—Eric Fincham

(56) **References Cited**

U.S. PATENT DOCUMENTS

D276,597 S \* 12/1984 Harris ..... D9/435  
D317,869 S \* 7/1991 Kipperman et al. .... D9/446  
D348,840 S \* 7/1994 Kuzma ..... D9/575  
D367,605 S \* 3/1996 Moore ..... D9/686  
D373,728 S \* 9/1996 Moore ..... D9/448  
D376,320 S \* 12/1996 Lathrop et al. .... D9/558  
6,039,224 A \* 3/2000 Dallas et al. .... 222/565  
D423,361 S \* 4/2000 Negre ..... D9/521  
D424,422 S \* 5/2000 Landhed ..... D9/521  
D433,333 S \* 11/2000 Kokenge et al. .... D9/449  
6,321,923 B1 \* 11/2001 Wood ..... 215/235  
D461,718 S \* 8/2002 Brozell ..... D9/529  
D486,400 S \* 2/2004 Bakic ..... D9/558  
D489,257 S \* 5/2004 Braaten et al. .... D9/444  
D489,258 S \* 5/2004 Hollmann et al. .... D9/444  
D489,504 S \* 5/2004 Lin ..... D34/11  
D504,611 S \* 5/2005 Bakic ..... D9/446  
D513,987 S \* 1/2006 Bansal ..... D9/449


(57) **CLAIM**

An ornamental design for a closure for container, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a closure for container;  
FIG. 2 is a front view thereof;  
FIG. 3 is a side view as seen from the right hand side of FIG. 1;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is an end elevational view as seen from the left hand side of FIG. 1; and,  
FIG. 6 is a top plan view thereof.

**1 Claim, 1 Drawing Sheet**



# US D605,512 S


Page 2

---


## U.S. PATENT DOCUMENTS

D584,148 S *	1/2009	Stolle .....	D9/449	D588,913 S *	3/2009	Bakic .....	D9/435
D584,159 S *	1/2009	Domoy et al. ....	D9/558	D589,796 S *	4/2009	McGeough .....	D9/449
D585,289 S *	1/2009	Toh .....	D9/529	D594,747 S *	6/2009	Moretti .....	D9/449
D585,739 S *	2/2009	Dombrowski et al. ....	D9/449	2005/0173366 A1 *	8/2005	Baudin .....	215/235


\* cited by examiner




**Fig. 1**




**Fig. 6**




**Fig. 2**



**Fig. 3**



**Fig. 4**



**Fig. 5**