



US00D606100S

(12) **United States Design Patent**
Kobayashi et al.

(10) **Patent No.:** **US D606,100 S**

(45) **Date of Patent:** **** Dec. 15, 2009**

(54) **CONTROL LEVER FOR A CONSTRUCTION VEHICLE**

(75) Inventors: **Yuuki Kobayashi**, Mooka (JP); **Misao Kato**, Shimotsuke (JP); **Takashi Ohtsu**, Oyama (JP); **Hayato Kinoshita**, Tokyo (JP)

(73) Assignee: **Komatsu Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/339,331**

(22) Filed: **Jun. 29, 2009**

(30) **Foreign Application Priority Data**

Feb. 20, 2009 (JP) 2009-003617

(51) **LOC (9) Cl.** **15-03**

(52) **U.S. Cl.** **D15/28**

(58) **Field of Classification Search** D15/17,
D15/28; D12/179, 174; D8/8; D34/35;
D21/324, 328, 333; D14/412-416, 400,
D14/401; 74/491, 519, 523, 475, 489, 473.1,
74/471 XY; 56/13.3, 202; 273/148 B; 463/38,
463/46; 345/161

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D320,589 S * 10/1991 Kelley et al. D12/179
- D362,330 S * 9/1995 Avitan et al. D34/35
- D365,576 S * 12/1995 Butkovich et al. D15/29
- D366,910 S * 2/1996 Hsieh D14/412
- 5,805,256 A * 9/1998 Miller 348/734
- D418,097 S * 12/1999 Leschke et al. D12/179
- D419,570 S * 1/2000 Blondeel et al. D15/29
- D450,702 S * 11/2001 Sagawa et al. D14/412

- D454,569 S * 3/2002 Osborn et al. D14/412
- D463,457 S * 9/2002 Nagatsuka D15/28
- D464,007 S * 10/2002 Ligneau D12/179
- D498,188 S * 11/2004 Ligneau D12/179
- D498,189 S * 11/2004 Ligneau D12/179
- D499,121 S * 11/2004 Masalin D15/28
- D531,942 S * 11/2006 Chanteloup D12/179
- D537,393 S * 2/2007 Chanteloup D12/179
- D537,394 S * 2/2007 Chanteloup D12/179
- D559,749 S * 1/2008 Barbieri D12/179

OTHER PUBLICATIONS

U.S. Appl. No. 29/339,327, filed Jun. 29, 2008, Kobayashi et al.

U.S. Appl. No. 29/339,328, filed Jun. 29, 2008, Kobayashi et al.

* cited by examiner

Primary Examiner—Stella M Reid

Assistant Examiner—Mark A Goodwin

(74) *Attorney, Agent, or Firm*—Wolf, Greenfield & Sacks, P.C.

(57) **CLAIM**

The ornamental design for a control lever for a construction vehicle, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a control lever for a construction vehicle showing our new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side view thereof; and,

FIG. 8 is a left side view thereof.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

