



US00D615285S

(12) **United States Design Patent**  
**Martin**

(10) **Patent No.:** **US D615,285 S**  
(45) **Date of Patent:** **\*\* May 11, 2010**

(54) **BICYCLE SHOE STRAP**

5,737,854 A 4/1998 Sussmann  
5,836,094 A \* 11/1998 Figel ..... 36/131  
5,924,220 A 7/1999 Ueda et al.

(75) Inventor: **Daniel Joshua Martin**, Madison, WI  
(US)

(73) Assignee: **Trek Bicycle Corporation**, Waterloo,  
WI (US)

(Continued)

(\*\*) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/326,345**

EP 0686360 12/1994

(22) Filed: **Oct. 16, 2008**

(Continued)

(51) **LOC (9) Cl.** ..... **02-99**

(52) **U.S. Cl.** ..... **D2/946; D2/976**

(58) **Field of Classification Search** ..... D2/627,  
D2/639, 624, 189, 900, 916-918, 943, 946,  
D2/969, 974, 976; 36/45, 11.5, 90, 101,  
36/3 A, 50.1, 7.5, 9 R, 100, 114, 96, 97, 89,  
36/2 R, 132; D24/189, 190, 191, 200, 206;  
D21/683; D3/218

*Primary Examiner*—Stella M Reid  
*Assistant Examiner*—Rashida C McCoy  
(74) *Attorney, Agent, or Firm*—Boyle Fredrickson, S.C.

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a bicycle shoe strap, substantially as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS


4,079,527 A 3/1978 Antonious  
4,296,558 A \* 10/1981 Antonious ..... 36/50.1  
4,308,672 A 1/1982 Antonious  
4,377,913 A 3/1983 Stone  
4,451,995 A 6/1984 Antonious  
4,476,639 A 10/1984 Zaccaria  
4,547,983 A 10/1985 Brandt  
4,563,825 A 1/1986 Tesser  
4,642,914 A 2/1987 Caldeira  
4,766,682 A \* 8/1988 Malloy, III ..... 36/132  
4,815,222 A 3/1989 Eisenbach et al.  
4,845,864 A 7/1989 Corliss  
5,074,059 A \* 12/1991 Melcher ..... 36/58.5  
5,392,535 A 2/1995 Van Noy et al.  
5,495,683 A 3/1996 Miotto et al.  
5,537,763 A 7/1996 Donnadiou et al.  
D385,102 S \* 10/1997 Avar ..... D2/972  
D385,998 S \* 11/1997 Clegg ..... D2/975  
5,685,093 A 11/1997 Lin

**DESCRIPTION**

FIG. 1 is a perspective view of a bicycle shoe strap positioned across a throat of an exemplary bicycle shoe;  
FIG. 2 is a top plan view of the bicycle shoe strap of FIG. 1;  
FIG. 3 is a lateral right side elevation view of the bicycle shoe strap shown in FIG. 1;  
FIG. 4 is lateral left side elevation view of the bicycle shoe strap shown in FIG. 1;  
FIG. 5 is a longitudinal side elevation view of the bicycle shoe strap shown in FIG. 1; and,  
FIG. 6 is a bottom plan view of the bicycle shoe strap shown in FIG. 1.

The broken lines represent environmental structure and portions of the shoe strap that form no part of claimed design.

**1 Claim, 3 Drawing Sheets**



# US D615,285 S

Page 2

---

## U.S. PATENT DOCUMENTS

5,992,057 A 11/1999 Monti  
6,038,791 A 3/2000 Cornelius et al.  
6,289,609 B1 9/2001 Bowen  
6,351,897 B1 3/2002 Smith  
D456,596 S \* 5/2002 Hannah ..... D2/946  
6,481,070 B2 11/2002 Caeran et al.  
D467,708 S \* 12/2002 Portzline ..... D2/946  
6,536,138 B1 3/2003 Miralles  
D479,905 S \* 9/2003 Wright et al. .... D2/962  
D482,514 S \* 11/2003 Whittington ..... D2/946

6,763,614 B2 7/2004 Smith  
6,860,035 B2 3/2005 Girard  
D509,348 S \* 9/2005 Brewer ..... D2/972  
2007/0266595 A1 11/2007 Bird et al.  
2008/0000110 A1 1/2008 Gazzola

## FOREIGN PATENT DOCUMENTS

EP 0686380 5/2000  
EP 0726037 6/2002  
EP 1547481 6/2005

\* cited by examiner




FIG. 1



FIG. 3



FIG. 4




FIG. 2



FIG. 5




FIG. 6