



US00D615285S

(12) **United States Design Patent**
Martin

(10) **Patent No.:** **US D615,285 S**
(45) **Date of Patent:** **** May 11, 2010**

(54) **BICYCLE SHOE STRAP**

5,737,854 A 4/1998 Sussmann
5,836,094 A * 11/1998 Figel 36/131
5,924,220 A 7/1999 Ueda et al.

(75) Inventor: **Daniel Joshua Martin**, Madison, WI
(US)

(73) Assignee: **Trek Bicycle Corporation**, Waterloo,
WI (US)

(Continued)

(**) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/326,345**

EP 0686360 12/1994

(22) Filed: **Oct. 16, 2008**

(Continued)

(51) **LOC (9) Cl.** **02-99**

(52) **U.S. Cl.** **D2/946; D2/976**

(58) **Field of Classification Search** D2/627,
D2/639, 624, 189, 900, 916-918, 943, 946,
D2/969, 974, 976; 36/45, 11.5, 90, 101,
36/3 A, 50.1, 7.5, 9 R, 100, 114, 96, 97, 89,
36/2 R, 132; D24/189, 190, 191, 200, 206;
D21/683; D3/218

Primary Examiner—Stella M Reid
Assistant Examiner—Rashida C McCoy
(74) *Attorney, Agent, or Firm*—Boyle Fredrickson, S.C.

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a bicycle shoe strap, substantially
as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS


4,079,527 A 3/1978 Antonious
4,296,558 A * 10/1981 Antonious 36/50.1
4,308,672 A 1/1982 Antonious
4,377,913 A 3/1983 Stone
4,451,995 A 6/1984 Antonious
4,476,639 A 10/1984 Zaccaria
4,547,983 A 10/1985 Brandt
4,563,825 A 1/1986 Tesser
4,642,914 A 2/1987 Caldeira
4,766,682 A * 8/1988 Malloy, III 36/132
4,815,222 A 3/1989 Eisenbach et al.
4,845,864 A 7/1989 Corliss
5,074,059 A * 12/1991 Melcher 36/58.5
5,392,535 A 2/1995 Van Noy et al.
5,495,683 A 3/1996 Miotto et al.
5,537,763 A 7/1996 Donnadiu et al.
D385,102 S * 10/1997 Avar D2/972
D385,998 S * 11/1997 Clegg D2/975
5,685,093 A 11/1997 Lin

DESCRIPTION

FIG. 1 is a perspective view of a bicycle shoe strap positioned
across a throat of an exemplary bicycle shoe;
FIG. 2 is a top plan view of the bicycle shoe strap of FIG. 1;
FIG. 3 is a lateral right side elevation view of the bicycle shoe
strap shown in FIG. 1;
FIG. 4 is lateral left side elevation view of the bicycle shoe
strap shown in FIG. 1;
FIG. 5 is a longitudinal side elevation view of the bicycle shoe
strap shown in FIG. 1; and,
FIG. 6 is a bottom plan view of the bicycle shoe strap shown
in FIG. 1.

The broken lines represent environmental structure and por-
tions of the shoe strap that form no part of claimed design.

1 Claim, 3 Drawing Sheets



US D615,285 S

Page 2

U.S. PATENT DOCUMENTS

5,992,057 A 11/1999 Monti
6,038,791 A 3/2000 Cornelius et al.
6,289,609 B1 9/2001 Bowen
6,351,897 B1 3/2002 Smith
D456,596 S * 5/2002 Hannah D2/946
6,481,070 B2 11/2002 Caeran et al.
D467,708 S * 12/2002 Portzline D2/946
6,536,138 B1 3/2003 Miralles
D479,905 S * 9/2003 Wright et al. D2/962
D482,514 S * 11/2003 Whittington D2/946

6,763,614 B2 7/2004 Smith
6,860,035 B2 3/2005 Girard
D509,348 S * 9/2005 Brewer D2/972
2007/0266595 A1 11/2007 Bird et al.
2008/0000110 A1 1/2008 Gazzola

FOREIGN PATENT DOCUMENTS

EP 0686380 5/2000
EP 0726037 6/2002
EP 1547481 6/2005

* cited by examiner




FIG. 1



FIG. 3



FIG. 4




FIG. 2



FIG. 5




FIG. 6