



US00D615376S

(12) **United States Design Patent**
Goss

(10) **Patent No.:** **US D615,376 S**

(45) **Date of Patent:** **** May 11, 2010**

(54) **LOCK ACTUATOR GRIP FOR A TORCH TIP OF A TORCH HANDLE**

Primary Examiner—Adir Aronovich

(74) *Attorney, Agent, or Firm*—Clifford A. Poff; Suzanne Kikel

(75) **Inventor:** **John G. Goss**, Bethesda, MD (US)

(73) **Assignee:** **Goss, Inc.**, Glenshaw, PA (US)

(57) **CLAIM**

(**) **Term:** **14 Years**

The ornamental design for a lock actuator grip for a torch tip of a torch handle, as shown and described.

(21) **Appl. No.:** **29/269,035**

(22) **Filed:** **Nov. 17, 2006**

DESCRIPTION

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/30; D15/144.2**

(58) **Field of Classification Search** D8/29.1,
D8/30; D15/144; 219/137.31, 137.7, 137.42,
219/137.62; 266/48; 239/414

See application file for complete search history.

FIG. 1 is a front view of a lock actuator grip for a torch tip of a torch handle showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a front view of the lock actuator grip for a torch tip of a torch handle in a different environment;

FIG. 7 is a top plan view thereof;

FIG. 8 is a left side view thereof;

FIG. 9 is a right side view thereof; and,

FIG. 10 is a rear view thereof.

The broken line showings of portions of the torch handle are included for the purpose of illustrating environmental structure and form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|------|---------|--------------------|-------|------------|
| D343,629 | S * | 1/1994 | Bode | | D15/144 |
| 5,698,122 | A * | 12/1997 | Lubieniecki et al. | ... | 219/137.31 |
| 6,225,599 | B1 * | 5/2001 | Altekruse | | 219/137.31 |
| 6,740,848 | B2 * | 5/2004 | Parker | | 219/137.31 |
| 6,815,641 | B2 * | 11/2004 | Doherty | | 219/137.31 |
| 6,979,799 | B2 * | 12/2005 | Centner | | 219/137.31 |
| 7,009,145 | B2 * | 3/2006 | Bauer | | 219/137.31 |
| D537,092 | S * | 2/2007 | Owens | | D15/144 |
| 7,244,909 | B2 * | 7/2007 | Kensrue et al. | | 219/137.31 |
| D555,446 | S * | 11/2007 | Picaza Ibarondo | | D8/30 |

* cited by examiner

1 Claim, 4 Drawing Sheets






Figure 3




Figure 1




Figure 2




Figure 5




Figure 4




Figure 8




Figure 6




Figure 7




Figure 10




Figure 9

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 615,376 S
APPLICATION NO. : 29/269035
DATED : May 11, 2010
INVENTOR(S) : John C. Goss

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

In Item (75) on the face of the patent, "John G. Goss" should read "John C. Goss".

Signed and Sealed this

Sixth Day of July, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial 'D' and a stylized 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office