



US00D626245S

(12) **United States Design Patent**  
**Sagnip et al.**

(10) **Patent No.:** **US D626,245 S**

(45) **Date of Patent:** **\*\* Oct. 26, 2010**

(54) **SHOULDER WRAP FOR MAINTAINING ELECTRODES ADJACENT SHOULDER FOR PHYSICAL THERAPY**

(75) Inventors: **Chad Beltran Sagnip**, Land O Lakes, FL (US); **Lynn Trimble**, Dallas, TX (US)

(73) Assignee: **Electrostim Medical Services, Inc.**, Tampa, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/351,180**

(22) Filed: **Dec. 1, 2009**

(51) **LOC (9) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/190**

(58) **Field of Classification Search** ..... D24/188-190; D29/100, 101.2; D2/853, 856, 860; 602/4, 602/5, 19, 20, 61, 62; 128/DIG. 19, 869, 128/874, 878; 2/44-46, 51-52, 459, 462  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|               |         |                |       |         |
|---------------|---------|----------------|-------|---------|
| D142,354 S *  | 9/1945  | Hamburger      | ..... | D24/189 |
| 4,514,862 A * | 5/1985  | A'Costa        | ..... | 2/459   |
| 4,735,198 A * | 4/1988  | Sawa           | ..... | 128/878 |
| 4,986,266 A * | 1/1991  | Lindemann      | ..... | 602/4   |
| 5,181,906 A * | 1/1993  | Bauerfeind     | ..... | 602/63  |
| 5,188,587 A * | 2/1993  | McGuire et al. | ..... | 602/20  |
| 5,609,569 A * | 3/1997  | Offenhartz     | ..... | 602/61  |
| 5,628,725 A * | 5/1997  | Ostergard      | ..... | 602/62  |
| 5,857,990 A * | 1/1999  | Maas           | ..... | 602/62  |
| 6,106,493 A * | 8/2000  | Rozell         | ..... | 602/20  |
| 6,152,891 A * | 11/2000 | Carlson        | ..... | 602/4   |

(Continued)

Primary Examiner—Susan K Krakower

(74) *Attorney, Agent, or Firm*—Workman Nydegger

(57) **CLAIM**

The ornamental design for a shoulder wrap for maintaining electrodes adjacent shoulder for physical therapy, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a shoulder wrap for maintaining electrodes adjacent shoulder for physical therapy;

FIG. 2 is a front view of the shoulder wrap of FIG. 1;

FIG. 3 is a top end view of the shoulder wrap of FIG. 1;

FIG. 4 is a right side view of the shoulder wrap of FIG. 1;

FIG. 5 is a rear view of the shoulder wrap of FIG. 1;

FIG. 6 is bottom end view of the shoulder wrap of FIG. 1;

FIG. 7 is a left side view of the shoulder wrap of FIG. 1;

FIG. 8 is a perspective view of the shoulder wrap of FIG. 1, shown in condition of use;

FIG. 9 is a front view of a second embodiment of a shoulder wrap for maintaining electrodes adjacent shoulder for physical therapy;

FIG. 10 is a top view of the shoulder wrap of FIG. 9;

FIG. 11 is a right side view of the shoulder wrap of FIG. 9;


FIG. 12 is a rear view of the shoulder wrap of FIG. 9;

FIG. 13 is a bottom view of the shoulder wrap of FIG. 9; and,

FIG. 14 is a left side view of the shoulder wrap of FIG. 9.

The broken lines illustrate environmental structure and portions of the shoulder wrap which form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



# US D626,245 S

Page 2

---

| U.S. PATENT DOCUMENTS |      |        |                            |
|-----------------------|------|--------|----------------------------|
| 6,398,746             | B2 * | 6/2002 | Bramlage et al. .... 602/5 |
| 6,941,586             | B1 * | 9/2005 | Weinhold ..... 2/459       |
| 7,081,101             | B1 * | 7/2006 | Sawa ..... 602/19          |
| 7,320,669             | B2 * | 1/2008 | Campbell et al. .... 602/4 |
| D571,016              | S *  | 6/2008 | Matthews ..... D24/190     |
| 2004/0193082          | A1 * | 9/2004 | Cofre ..... 602/4          |
| 2008/0208092          | A1 * | 8/2008 | Sawa ..... 602/20          |

\* cited by examiner




FIG. 1



FIG. 3




FIG. 2



FIG. 4



FIG. 6




FIG. 5

FIG. 7






FIG. 10




FIG. 9

FIG. 11



FIG. 13




FIG. 12

FIG. 14