

US00D631552S

(12) **United States Design Patent**  
**Kasabach et al.**

(10) **Patent No.:** **US D631,552 S**  
(45) **Date of Patent:** **\*\* Jan. 25, 2011**

(54) **WEARABLE DEVICE TO MONITOR HUMAN STATUS PARAMETERS**

(75) Inventors: **Christopher D. Kasabach**, Pittsburgh, PA (US); **Vanessa Sica Kasabach**, Pittsburgh, PA (US); **John M. Stivoric**, Pittsburgh, PA (US); **Jeffrey Francis Williams**, Edinboro, PA (US)

(73) Assignee: **Bodymedia, Inc.**, Pittsburgh, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/256,753**

(22) Filed: **Mar. 24, 2006**

(51) **LOC (9) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/186**

(58) **Field of Classification Search** ..... D24/165,  
D24/167-168, 186-187, 200, 232; D10/30-32;  
600/372-384, 391, 500, 503, 509; 607/62,  
607/109, 121, 129, 139

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,795,300	A *	8/1998	Bryars	600/500
D406,346	S *	3/1999	Hirakawa	D24/165
D426,637	S *	6/2000	Ochi et al.	D24/165
6,080,111	A *	6/2000	Pao-Lang	600/503
D440,163	S *	4/2001	Callis	D10/31
D450,849	S *	11/2001	Rantala	D24/165
6,314,058	B1 *	11/2001	Lee	600/500

D452,005	S *	12/2001	Rantala	D24/165
D475,136	S *	5/2003	Taniguchi	D24/165
D507,498	S *	7/2005	Hung	D24/167
D508,738	S *	8/2005	Lodato et al.	D24/186
6,928,317	B2 *	8/2005	Chen	600/509
6,982,930	B1 *	1/2006	Hung	600/500
D540,695	S *	4/2007	Leung	D10/32
D565,735	S *	4/2008	Washbon	D24/187
D578,222	S *	10/2008	Sakurai et al.	D24/187
D585,557	S *	1/2009	Sakurai et al.	D24/187
D597,676	S *	8/2009	Copeland et al.	D24/187
D603,521	S *	11/2009	Lindberg et al.	D24/187

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Mark Cavanna

(74) *Attorney, Agent, or Firm*—GTC Law Group LLP & Affiliates

(57) **CLAIM**

The ornamental design for a wearable device to monitor human status parameters, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a wearable device to monitor human status parameters showing our new design;


FIG. 2 is a side elevation view thereof;


FIG. 3 is a top view thereof;

FIG. 4 is an end elevation view thereof; and,


FIG. 5 is a bottom perspective thereof.

**1 Claim, 5 Drawing Sheets**







*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*