



US00D634194S

(12) **United States Design Patent**
Driskell et al.

(10) **Patent No.:** **US D634,194 S**
(45) **Date of Patent:** **** Mar. 15, 2011**

(54) **OVERCAP**

(75) Inventors: **William Driskell**, Lee's Summit, MO (US); **Matthew J. Forst**, Oak Creek, WI (US); **Judith Rath**, Milwaukee, WI (US); **Steven Sell**, Belton, MO (US); **David A. Smith**, Brookfield, WI (US); **Cynthia A. Stevens**, Racine, WI (US); **Steven Sweeton**, Lake Winnebago, MO (US); **Matthew N. Thurin**, Wauwatosa, WI (US); **Steven A. Zach**, Waterford, WI (US)

D207,809 S 5/1967 Flury
D244,531 S 5/1977 Klingaman
D244,991 S 7/1977 Weckman et al.
D332,392 S 1/1993 Foster et al.
D332,739 S 1/1993 Petschek
D343,577 S 1/1994 Proctor
D349,642 S 8/1994 Abfier
D365,980 S 1/1996 Matara et al.
D369,294 S 4/1996 Hirato
D395,237 S 6/1998 Mascitelli
D395,597 S 6/1998 Lamb
D405,008 S 2/1999 Irwin et al.
D406,060 S 2/1999 Dumont et al.
D413,514 S 9/1999 Pericard et al.

(Continued)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/365,940**

(22) Filed: **Jul. 16, 2010**

Related U.S. Application Data

(62) Division of application No. 29/315,701, filed on Jul. 16, 2009, now Pat. No. Des. 623,071.

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/445**

(58) **Field of Classification Search** D9/682-694,
D9/516-575, 434-455; 215/379-384;
220/669-675; 222/211, 212, 213, 215, 321.7-321.9,
222/372, 373, 378, 379, 383.1, 384-386,
222/398, 400.7, 400.8, 401, 402.1-402.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D182,444 S * 4/1958 Sinclair D9/449
D188,142 S * 6/1960 Sinel D9/686
D201,222 S * 5/1965 Wilson D9/450

FOREIGN PATENT DOCUMENTS

EM 374343-0001 7/2005

(Continued)

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — McCracken & Frank LLP


(57) **CLAIM**

The ornamental design for an overcap, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the front, top and right side of the overcap showing our new design; FIG. 2 is a front elevational view of the overcap of FIG. 1; FIG. 3 is a rear elevational view of the overcap of FIG. 1; FIG. 4 is a right side elevational view of the overcap of FIG. 1; FIG. 5 is a left side elevational view of the overcap of FIG. 1; FIG. 6 is a top plan view of the overcap of FIG. 1; and, FIG. 7 is a bottom plan view of the overcap of FIG. 1. The broken lines are included for the purpose of illustrating environmental structure that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D634,194 S

Page 2

U.S. PATENT DOCUMENTS

D418,404 S	1/2000	Irwin et al.
D420,914 S	2/2000	Cummings
D424,441 S	5/2000	Santagiuliana
D426,158 S	6/2000	Flurer et al.
D434,658 S	12/2000	Geier
D438,113 S	2/2001	Wadsworth
D447,948 S	9/2001	Pannozzo et al.
D451,792 S	12/2001	Siebert et al.
D454,778 S	3/2002	Siebert et al.
D454,787 S	3/2002	Cummings
D456,262 S	4/2002	Cummings
D462,009 S	8/2002	Poisson et al.
D466,015 S	11/2002	Faucon
D471,106 S	3/2003	Pannozzo et al.
D476,558 S	7/2003	Cho et al.
D478,284 S	8/2003	Pannozzo et al.
D478,285 S	8/2003	Pannozzo et al.
D481,305 S	10/2003	Walters et al.
D489,613 S	5/2004	Campbell et al.
D489,970 S	5/2004	Nelson et al.
D490,699 S	6/2004	Nelson et al.
D500,447 S	1/2005	Snyder
D501,792 S	2/2005	Priestman
D503,086 S	3/2005	Tsai
D507,493 S	7/2005	Nelson et al.
D508,411 S	8/2005	Lamb et al.
D508,851 S	8/2005	Nelson et al.
D511,302 S	11/2005	Lamb et al.
D513,995 S	1/2006	Miwa
D527,630 S	9/2006	McConville et al.
D528,001 S	9/2006	Schroeder et al.
D528,002 S	9/2006	Schroeder et al.
D528,420 S	9/2006	Schroeder et al.
D528,916 S	9/2006	Schroeder et al.
D532,300 S	11/2006	Moretti
D532,301 S	11/2006	Moretti
D532,302 S	11/2006	Moretti
D536,969 S	2/2007	Geier
D536,977 S	2/2007	Schroeder et al.
D537,359 S	2/2007	Butler et al.
D539,142 S	3/2007	Butler et al.
D548,601 S	8/2007	Mongeon et al.
D553,003 S	10/2007	Baker et al.
D556,038 S	11/2007	Chupak
D557,145 S	12/2007	Miller et al.
D559,682 S	1/2008	Meecker et al.
D562,696 S	2/2008	Baker et al.
D562,697 S	2/2008	Baker et al.
D567,651 S	4/2008	Bloc
D569,247 S	5/2008	Decottignies
D569,723 S	5/2008	Sellick
D571,204 S	6/2008	Sweeton

D571,205 S	6/2008	Sweeton et al.
D571,206 S	6/2008	Sweeton et al.
D575,152 S	8/2008	Costa
D575,166 S *	8/2008	Miller et al. D9/693
D578,005 S	10/2008	Shurtleff et al.
D579,342 S	10/2008	Claughton et al.
D580,761 S	11/2008	Sweeton
D581,789 S	12/2008	Ames et al.
D582,272 S	12/2008	Cichy
D582,279 S	12/2008	Darr et al.
D583,668 S	12/2008	Sweeton
D587,573 S	3/2009	Sato
D591,612 S	5/2009	Ames et al.
D598,283 S	8/2009	Ames et al.
D599,666 S *	9/2009	Marotti et al. D9/454
D600,119 S	9/2009	Sweeton
D604,610 S	11/2009	Ames et al.

FOREIGN PATENT DOCUMENTS

EM	374343-0002	7/2005
EM	385471-0001	8/2005
EM	385471-0002	8/2005
EM	385471-0003	8/2005
EM	385471-0004	8/2005
EM	385489-0001	8/2005
EM	385489-0002	8/2005
EM	385489-0003	8/2005
EM	385489-0004	8/2005
EM	385497-0001	8/2005
EM	385497-0002	8/2005
EM	385497-0003	8/2005
EM	385497-0004	8/2005
EM	405980-0001	9/2005
EM	405980-0002	9/2005
EM	809439-0001	10/2007
EM	860259-0001	1/2008
EM	860259-0002	1/2008
EM	860259-0003	1/2008
EM	860259-0004	1/2008
EM	860259-0005	1/2008
EM	860259-0006	1/2008
EM	963608-0001	7/2008
EM	963608-0002	7/2008
EM	963608-0003	7/2008
EM	963608-0004	7/2008
EM	963608-0005	7/2008
EM	1009054-0001	9/2008
EM	1009054-0002	9/2008
EM	1009054-0003	9/2008
EM	1009054-0004	9/2008
EM	1009054-0005	9/2008
EM	1009054-0006	9/2008

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7