



US00D634194S

(12) **United States Design Patent**
Driskell et al.

(10) **Patent No.:** **US D634,194 S**
(45) **Date of Patent:** **** Mar. 15, 2011**

(54) **OVERCAP**

(75) Inventors: **William Driskell**, Lee's Summit, MO (US); **Matthew J. Forst**, Oak Creek, WI (US); **Judith Rath**, Milwaukee, WI (US); **Steven Sell**, Belton, MO (US); **David A. Smith**, Brookfield, WI (US); **Cynthia A. Stevens**, Racine, WI (US); **Steven Sweeton**, Lake Winnebago, MO (US); **Matthew N. Thurin**, Wauwatosa, WI (US); **Steven A. Zach**, Waterford, WI (US)

D207,809 S 5/1967 Flury
D244,531 S 5/1977 Klingaman
D244,991 S 7/1977 Weckman et al.
D332,392 S 1/1993 Foster et al.
D332,739 S 1/1993 Petschek
D343,577 S 1/1994 Proctor
D349,642 S 8/1994 Abfier
D365,980 S 1/1996 Matara et al.
D369,294 S 4/1996 Hirato
D395,237 S 6/1998 Mascitelli
D395,597 S 6/1998 Lamb
D405,008 S 2/1999 Irwin et al.
D406,060 S 2/1999 Dumont et al.
D413,514 S 9/1999 Pericard et al.

(Continued)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/365,940**

(22) Filed: **Jul. 16, 2010**

Related U.S. Application Data

(62) Division of application No. 29/315,701, filed on Jul. 16, 2009, now Pat. No. Des. 623,071.

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/445**

(58) **Field of Classification Search** D9/682-694,
D9/516-575, 434-455; 215/379-384;
220/669-675; 222/211, 212, 213, 215, 321.7-321.9,
222/372, 373, 378, 379, 383.1, 384-386,
222/398, 400.7, 400.8, 401, 402.1-402.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D182,444 S * 4/1958 Sinclair D9/449
D188,142 S * 6/1960 Sinel D9/686
D201,222 S * 5/1965 Wilson D9/450

FOREIGN PATENT DOCUMENTS

EM 374343-0001 7/2005

(Continued)

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — McCracken & Frank LLP


(57) **CLAIM**

The ornamental design for an overcap, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the front, top and right side of the overcap showing our new design; FIG. 2 is a front elevational view of the overcap of FIG. 1; FIG. 3 is a rear elevational view of the overcap of FIG. 1; FIG. 4 is a right side elevational view of the overcap of FIG. 1; FIG. 5 is a left side elevational view of the overcap of FIG. 1; FIG. 6 is a top plan view of the overcap of FIG. 1; and, FIG. 7 is a bottom plan view of the overcap of FIG. 1. The broken lines are included for the purpose of illustrating environmental structure that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D634,194 S

Page 2

U.S. PATENT DOCUMENTS

D418,404 S 1/2000 Irwin et al.
D420,914 S 2/2000 Cummings
D424,441 S 5/2000 Santagiuliana
D426,158 S 6/2000 Flurer et al.
D434,658 S 12/2000 Geier
D438,113 S 2/2001 Wadsworth
D447,948 S 9/2001 Pannozzo et al.
D451,792 S 12/2001 Siebert et al.
D454,778 S 3/2002 Siebert et al.
D454,787 S 3/2002 Cummings
D456,262 S 4/2002 Cummings
D462,009 S 8/2002 Poisson et al.
D466,015 S 11/2002 Faucon
D471,106 S 3/2003 Pannozzo et al.
D476,558 S 7/2003 Cho et al.
D478,284 S 8/2003 Pannozzo et al.
D478,285 S 8/2003 Pannozzo et al.
D481,305 S 10/2003 Walters et al.
D489,613 S 5/2004 Campbell et al.
D489,970 S 5/2004 Nelson et al.
D490,699 S 6/2004 Nelson et al.
D500,447 S 1/2005 Snyder
D501,792 S 2/2005 Priestman
D503,086 S 3/2005 Tsai
D507,493 S 7/2005 Nelson et al.
D508,411 S 8/2005 Lamb et al.
D508,851 S 8/2005 Nelson et al.
D511,302 S 11/2005 Lamb et al.
D513,995 S 1/2006 Miwa
D527,630 S 9/2006 McConville et al.
D528,001 S 9/2006 Schroeder et al.
D528,002 S 9/2006 Schroeder et al.
D528,420 S 9/2006 Schroeder et al.
D528,916 S 9/2006 Schroeder et al.
D532,300 S 11/2006 Moretti
D532,301 S 11/2006 Moretti
D532,302 S 11/2006 Moretti
D536,969 S 2/2007 Geier
D536,977 S 2/2007 Schroeder et al.
D537,359 S 2/2007 Butler et al.
D539,142 S 3/2007 Butler et al.
D548,601 S 8/2007 Mongeon et al.
D553,003 S 10/2007 Baker et al.
D556,038 S 11/2007 Chupak
D557,145 S 12/2007 Miller et al.
D559,682 S 1/2008 Meeker et al.
D562,696 S 2/2008 Baker et al.
D562,697 S 2/2008 Baker et al.
D567,651 S 4/2008 Bloc
D569,247 S 5/2008 Decottignies
D569,723 S 5/2008 Sellick
D571,204 S 6/2008 Sweeton

D571,205 S 6/2008 Sweeton et al.
D571,206 S 6/2008 Sweeton et al.
D575,152 S 8/2008 Costa
D575,166 S * 8/2008 Miller et al. D9/693
D578,005 S 10/2008 Shurtleff et al.
D579,342 S 10/2008 Claughton et al.
D580,761 S 11/2008 Sweeton
D581,789 S 12/2008 Ames et al.
D582,272 S 12/2008 Cichy
D582,279 S 12/2008 Darr et al.
D583,668 S 12/2008 Sweeton
D587,573 S 3/2009 Sato
D591,612 S 5/2009 Ames et al.
D598,283 S 8/2009 Ames et al.
D599,666 S * 9/2009 Marotti et al. D9/454
D600,119 S 9/2009 Sweeton
D604,610 S 11/2009 Ames et al.

FOREIGN PATENT DOCUMENTS

EM 374343-0002 7/2005
EM 385471-0001 8/2005
EM 385471-0002 8/2005
EM 385471-0003 8/2005
EM 385471-0004 8/2005
EM 385489-0001 8/2005
EM 385489-0002 8/2005
EM 385489-0003 8/2005
EM 385489-0004 8/2005
EM 385497-0001 8/2005
EM 385497-0002 8/2005
EM 385497-0003 8/2005
EM 385497-0004 8/2005
EM 405980-0001 9/2005
EM 405980-0002 9/2005
EM 809439-0001 10/2007
EM 860259-0001 1/2008
EM 860259-0002 1/2008
EM 860259-0003 1/2008
EM 860259-0004 1/2008
EM 860259-0005 1/2008
EM 860259-0006 1/2008
EM 963608-0001 7/2008
EM 963608-0002 7/2008
EM 963608-0003 7/2008
EM 963608-0004 7/2008
EM 963608-0005 7/2008
EM 1009054-0001 9/2008
EM 1009054-0002 9/2008
EM 1009054-0003 9/2008
EM 1009054-0004 9/2008
EM 1009054-0005 9/2008
EM 1009054-0006 9/2008

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7