



US00D638014S

(12) **United States Design Patent**  
**Chong et al.**

(10) **Patent No.:** **US D638,014 S**  
(45) **Date of Patent:** **\*\* May 17, 2011**

(54) **ELECTRONIC READER DEVICE**  
(75) Inventors: **Kin Fui Chong**, Singapore (SG); **Qian Hong**, Singapore (SG)  
(73) Assignee: **Creative Technology Ltd**, Singapore (SG)

7,349,201 B2 \* 3/2008 Tatsukami et al. .... 361/679.55  
D569,864 S \* 5/2008 Chen ..... D14/337  
D593,553 S \* 6/2009 Okamoto et al. .... D14/341  
D598,015 S \* 8/2009 Busri ..... D14/341  
D603,862 S \* 11/2009 Skinner et al. .... D14/337  
D606,071 S \* 12/2009 Wu et al. .... D14/336

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner* — Freda S Nunn

(21) Appl. No.: **29/362,728**

(57) **CLAIM**  
The ornamental design for an electronic reader device, substantially as shown and described.

(22) Filed: **May 28, 2010**

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Nov. 30, 2009 (SG) ..... D2009/1052/D

(51) **LOC (9) Cl.** ..... **14-02**  
(52) **U.S. Cl.** ..... **D14/383**; D14/336; D14/341  
(58) **Field of Classification Search** ..... D14/371-376,  
D14/125-129, 317, 331, 336, 341, 337, 383-385;  
D6/308; D10/20; 248/917-924, 176.1, 278.1;  
345/104, 156, 173, 174, 901-905; 348/180,  
348/184, 325, 739; 361/679.08, 679.21,  
361/679.23; 349/1, 2, 11  
See application file for complete search history.


FIG. 1 is a perspective view of the electronic reader device in accordance with the present design;  
FIG. 2 is a perspective view of the electronic reader device in accordance with the present design;  
FIG. 3 is a perspective view of the electronic reader device in accordance with the present design;  
FIG. 4 is front view of the electronic reader device shown in FIG. 1;  
FIG. 5 is a rear view of the electronic reader device shown in FIG. 1;  
FIG. 6 is a left side view of the electronic reader device shown in FIG. 1;  
FIG. 7 is a right side view of the electronic reader device shown in FIG. 1;  
FIG. 8 is a top view of the electronic reader device shown in FIG. 1; and,  
FIG. 9 is a bottom view of the electronic reader device shown in FIG. 1.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D355,170 S \* 2/1995 Mizusugi et al. .... D14/336  
5,815,252 A \* 9/1998 Price-Francis ..... 356/71  
D403,670 S \* 1/1999 Liao ..... D14/375  
6,593,859 B1 \* 7/2003 Watanabe ..... 341/20  
D498,235 S \* 11/2004 Chen et al. .... D18/4.6  
D512,998 S \* 12/2005 Sogabe ..... D14/336  
D539,797 S \* 4/2007 Chiang et al. .... D14/337

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9