

US00D648863S

(12) **United States Design Patent**  
**Gullicks et al.**

(10) **Patent No.:** **US D648,863 S**

(45) **Date of Patent:** **\*\* Nov. 15, 2011**

(54) **DUAL CHAMBER CARTRIDGE**

(75) Inventors: **Scott D. Gullicks**, Apple Valley, MN (US); **Jeffrey R. Janssen**, Ho Chi Minh (VN); **Mark F. Schulz**, Lake Elmo, MN (US); **Ryan Patrick Simmers**, Cottage Grove, MN (US)

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/387,015**

(22) Filed: **Mar. 8, 2011**

5,386,928 A	2/1995	Blette
6,047,861 A	4/2000	Vidal et al.
6,129,244 A	10/2000	Horth
6,244,740 B1	6/2001	Wagner et al.
6,311,871 B1	11/2001	Binder
6,352,177 B1	3/2002	Bublewitz et al.
D458,369 S	6/2002	Helmholz
6,457,609 B1	10/2002	Keller
6,523,992 B1	2/2003	Bublewitz et al.
6,578,738 B1	6/2003	Keller
6,631,829 B1	10/2003	Wagner et al.
D510,769 S	10/2005	Bublewitz
D514,705 S	2/2006	Bublewitz
D544,610 S	6/2007	Ouchi
D581,044 S	11/2008	Sudo
D594,131 S	6/2009	Nguyen
D601,250 S	9/2009	Haunschild
D603,668 S	11/2009	Gullicks

(Continued)

**Related U.S. Application Data**

(62) Division of application No. 29/325,462, filed on Oct. 1, 2008, now Pat. No. Des. 636,500.

(51) **LOC (9) Cl.** ..... **28-03**

(52) **U.S. Cl.** ..... **D24/221; D24/130**

(58) **Field of Classification Search** ..... D9/414, D9/711, 723, 730, 734, 740, 434, 436, 455, D9/457, 501, 517; D24/130, 133, 216, 221, D24/224; D7/706; D8/14.1; 604/195, 181, 604/110, 130, 87, 227, 232, 228, 191, 220, 604/222, 224, 218

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,767,085 A	10/1973	Cannon
3,933,273 A	1/1976	Cox
D251,104 S	2/1979	Sanchez
4,691,845 A	9/1987	Schwartz
D309,015 S	7/1990	Fechtner
D349,054 S	7/1994	Cross
5,338,309 A *	8/1994	Imbert ..... 604/187
D353,995 S	1/1995	Foster

**FOREIGN PATENT DOCUMENTS**

CN 1496280 5/2004

(Continued)

*Primary Examiner* — Thomas Johannes

(74) *Attorney, Agent, or Firm* — Philip P. Soo

(57) **CLAIM**

The ornamental design for a dual chamber cartridge, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a dual chamber cartridge, showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a back elevation view thereof;



FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**



# US D648,863 S

Page 2

---

## U.S. PATENT DOCUMENTS


D603,721	S	11/2009	Masucci	
7,674,033	B2	3/2010	Pauser	
D636,500	S	4/2011	Gullicks	
2002/0198490	A1*	12/2002	Wirt et al. ....	604/82
2005/0232073	A1	10/2005	Wagner et al.	
2006/0266769	A1	11/2006	Jackson	
2008/0144426	A1	6/2008	Janssen et al.	

2008/0230742 A1 9/2008 Janssen


## FOREIGN PATENT DOCUMENTS

DE	3307558	9/1984
DE	4235736	3/1994
JP	2004-155484	6/2004


\* cited by examiner



*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*