



US00D658173S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D658,173 S**
(45) **Date of Patent:** **** Apr. 24, 2012**

(54) **TERMINAL FOR PORTABLE MOBILE COMMUNICATION**

(75) Inventor: **Dong-Hun Kim**, Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-Si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/389,172**

(22) Filed: **Apr. 7, 2011**

(30) **Foreign Application Priority Data**

Jan. 3, 2011 (KR) 30-2011-0000079

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/345**

(58) **Field of Classification Search** D14/341-347,
D14/137, 138, 138.1, 138 AA, 138 R, 138 AB,
D14/138 AC, 138 AD, 138 C, 138 G, 496,
D14/203.1, 203.3, 203.4, 203.5, 203.7, 426,
D14/427, 432, 429, 129, 130, 420, 439-441,
D14/448, 125, 147, 156, 218, 247-248, 250,
D14/389, 388, 315-318; D10/65, 104; D18/6-7;
D21/324, 329, 330; D19/26, 59, 60; 455/556.1,
455/556.2, 566, 575.1, 90.3; 379/433.04,
379/433.01, 433.06, 916; 345/169, 173,
345/901, 905, 179; 361/679.09, 679.15,
361/679.16, 679.26, 679.27, 679.3, 679.55,
361/679.56, 680-686; 248/917-924; 348/373,
348/376; 235/145 A, 145 R

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D324,673 S * 3/1992 Iino D14/315
D366,280 S * 1/1996 Henderson D19/52
D373,118 S * 8/1996 Naruki D14/342
D391,987 S * 3/1998 Jambhekar et al. D14/345

D399,526 S * 10/1998 Brady D14/345
D445,787 S * 7/2001 Francis D14/345
D494,166 S * 8/2004 Kumagai et al. D14/345
D509,247 S * 9/2005 Nash D19/52
D517,545 S * 3/2006 Buckel et al. D14/345
D520,562 S * 5/2006 Nash D19/52
D521,068 S * 5/2006 Newbould D19/52
D543,585 S * 5/2007 Jones D19/21
D588,126 S * 3/2009 Chiang et al. D14/345
D592,210 S * 5/2009 McCarthy D14/345
D618,683 S * 6/2010 Wilson et al. D14/371
D626,124 S * 10/2010 Chyan et al. D14/341

(Continued)

Primary Examiner — Barbara Fox

(74) *Attorney, Agent, or Firm* — Staas & Halsey LLP


(57) **CLAIM**

The ornamental design for a terminal for portable mobile communication, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of terminal for portable mobile communication;
FIG. 2 is a front view of the terminal for portable mobile communication of FIG. 1;
FIG. 3 is a rear view of the terminal for portable mobile communication of FIG. 1;
FIG. 4 is a left-side view of the terminal for portable mobile communication of FIG. 1;
FIG. 5 is a right-side view of the terminal for portable mobile communication of FIG. 1;
FIG. 6 is a top plan view of the terminal for portable mobile communication of FIG. 1;
FIG. 7 is a bottom plan view of the terminal for portable mobile communication of FIG. 1;
FIG. 8 is an open front perspective view of the terminal for portable mobile communication of FIG. 1; and,
FIG. 9 is another open front perspective view of the terminal for portable mobile communication of FIG. 1 with a detailed remote controller.

1 Claim, 9 Drawing Sheets



US D658,173 S

Page 2

U.S. PATENT DOCUMENTS

D631,043	S	*	1/2011	Kell	D14/341
D635,567	S	*	4/2011	Rashid et al.	D14/341
7,920,320	B2	*	4/2011	Watson et al.	359/296
D639,806	S	*	6/2011	Lee et al.	D14/345
D641,353	S	*	7/2011	Rashid et al.	D14/341
D644,219	S	*	8/2011	Sawada	D14/345
D650,780	S	*	12/2011	Rashid et al.	D14/341
D650,781	S	*	12/2011	Rashid et al.	D14/341
2002/0018027	A1	*	2/2002	Sugimoto	345/1.3
2005/0184982	A1	*	8/2005	Sugimoto	345/204
2005/0264540	A1	*	12/2005	Niwa	345/173
2009/0231233	A1	*	9/2009	Liberatore	345/1.3

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

