



US00D659567S

(12) **United States Design Patent**
Stevens et al.

(10) **Patent No.:** **US D659,567 S**
(45) **Date of Patent:** **** May 15, 2012**

(54) **NAVIGATION DEVICE**

(75) Inventors: **Warren R. Stevens**, Olathe, KS (US);
Matthew C. Marrocco, Overland Park,
KS (US); **Justin D. Wiercinski**, Kansas
City, MO (US)

(73) Assignee: **Garmin Switzerland GmbH** (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/396,700**

(22) Filed: **Jul. 6, 2011**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/65; D10/70**

(58) **Field of Classification Search** D10/65,
D10/70, 104.2, 106.6; D14/315, 336, 337,
D14/341, 342, 343, 240–242, 356–358, 371,
D14/140.1–140.6, 140, 155, 159, 137, 149,
D14/150, 217, 170–171, 125, 188, 203.3,
D14/203.4, 203.7; 342/386, 351, 419, 457,
342/357.2–357.78, 450, 458; 343/702; 345/87,
345/104, 133, 156, 168, 173, 901–905; 348/180,
348/184, 315, 739; 364/444, 499; 701/206–209,
701/213, 214

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D565,978 S	4/2008	Stevens et al.		D10/65
D566,588 S	4/2008	Stevens et al.		D10/65
D571,234 S	6/2008	Reeson et al.		D10/65
D574,271 S	8/2008	Stevens et al.		D10/65
D574,272 S *	8/2008	Stevens et al.		D10/65
D577,298 S	9/2008	Reeson et al.		D10/65
D592,083 S *	5/2009	Stevens et al.		D10/65
D595,598 S	7/2009	Stevens et al.		D10/65

D608,669 S *	1/2010	Stevens et al.		D10/65
D611,363 S	3/2010	Lenz et al.		D10/65
D611,364 S *	3/2010	Lenz et al.		D10/65
D622,169 S	8/2010	Lenz et al.		D10/65
D627,666 S *	11/2010	Lenz et al.		D10/65
D627,667 S *	11/2010	Lenz et al.		D10/65
D628,913 S *	12/2010	Cheng		D10/65
D640,149 S *	6/2011	Lenz et al.		D10/65
D648,233 S *	11/2011	Lenz et al.		D10/65

(Continued)

OTHER PUBLICATIONS

Garmin nüvi® 1690 press release, dated Sep. 3, 2009.

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Samuel M. Korte

(57)



CLAIM

The ornamental design for a navigation device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a navigation device according to embodiments of the present invention; FIG. 2 is a rear perspective view of the navigation device; FIG. 3 is a top view of the navigation device; FIG. 4 is a front view of the navigation device; FIG. 5 is a rear view of the navigation device; FIG. 6 is a bottom view of the navigation device; FIG. 7 is a left side view of the navigation device; and, FIG. 8 is a right side view of the navigation device. Portions of FIGS. 1 through 8 are shown in dashed lines for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

D648,234	S	*	11/2011	Lenz et al.		D10/65
2008/0231538	A1	*	9/2008	Inoue et al.		343/872
2010/0250113	A1	*	9/2010	Miyata		701/201
2011/0065460	A1	*	3/2011	Kimishima		455/457

OTHER PUBLICATIONS

Garmin nüvi® 2200 and nüvi® 2300, dated Sep. 2, 2010.
Image of LG Optimus—3D, dated prior to Jul. 6, 2011.

Image of Mio Digiwalker, dated prior to Jul. 6, 2011.
Image of the side view of Mio Digiwalker, 2006.
Image of Navigon 2710, dated prior to Jul. 6, 2011.
Image of Samsung CH@t 350, dated prior to Jul. 6, 2011.
Image of Samsung CH@t 350 Qwerty Keyboard extended, dated prior to Jul. 6, 2011.
U.S. Appl. No. 29/369,082, filed Sep. 2, 2010.
U.S. Appl. No. 29/369,086, filed Sep. 2, 2010.

* cited by examiner

Fig. 1





Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8