



US00D670422S

(12) **United States Design Patent**  
**Siekmann**

(10) **Patent No.:** **US D670,422 S**  
(45) **Date of Patent:** **\*\* Nov. 6, 2012**

- (54) **LAMP**
- (75) Inventor: **Ulrich-Wilhelm Siekmann, Löhne (DE)**
- (73) Assignee: **Siematic Möbelwerke GmbH & Co. KG (DE)**
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/392,382**
- (22) Filed: **May 20, 2011**

- D581,079 S \* 11/2008 Mier-Langner ..... D26/72
- D584,444 S \* 1/2009 Lipson ..... D26/85
- D595,445 S \* 6/2009 Gunter ..... D26/76

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Bourque and Associates, PA

(30) **Foreign Application Priority Data**

Nov. 23, 2010 (EM) ..... 0001246177

- (51) **LOC (9) Cl.** ..... **26-03**
- (52) **U.S. Cl.** ..... **D26/80; D26/76**
- (58) **Field of Classification Search** ..... D26/75-78, D26/80, 87, 92; 362/133, 217.01, 217.02, 362/217.04, 217.05, 217.06, 217.07, 217.1, 362/218, 294, 373, 432

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D146,983 S \* 6/1947 Phillips ..... D12/44
- D192,876 S \* 5/1962 Meyer ..... D26/76
- D203,060 S \* 11/1965 Schaefer ..... D26/76
- D247,756 S \* 4/1978 Nagelkerke ..... D26/77
- D337,844 S \* 7/1993 Poirier ..... D26/76
- D421,146 S \* 2/2000 Poulton ..... D26/76
- D468,473 S \* 1/2003 Shemitz et al. .... D26/76
- D470,262 S \* 2/2003 Yiu ..... D26/76
- D512,526 S \* 12/2005 Zucker ..... D26/76
- D547,897 S \* 7/2007 Willmorth et al. .... D26/76

**DESCRIPTION**

FIG. 1 is a bottom perspective view of the ornamental design for a lamp according to one embodiment of the present invention;

FIG. 2 is a top perspective view of the lamp thereof;

FIG. 3 is a bottom view of the lamp thereof;

FIG. 4 is a top view of the lamp thereof;

FIG. 5 is a front view of the lamp thereof;

FIG. 6 is a back view of the lamp thereof;


FIG. 7 is a right side view of the lamp thereof, the left side view being a mirror image thereof;

FIG. 8 is a bottom perspective view of the lamp according to a second embodiment of the present invention, the remaining views being the same as those shown and described above;

FIG. 9 is a perspective view of the lamp according to a third embodiment of the present invention, the remaining views being the same as those shown and described above; and,

FIG. 10 is a perspective view of the lamp according to a fourth embodiment of the present invention, the remaining views being the same as those shown and described above.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10