



US00D690985S

(12) **United States Design Patent**
Montgomery

(10) **Patent No.:** **US D690,985 S**
(45) **Date of Patent:** **** Oct. 8, 2013**

(54) **PAN WITH A UTENSIL RETENTION FEATURE**

(75) Inventor: **Seana L. Montgomery**, McKinney, TX (US)

(73) Assignee: **Seana L. Montgomery**, McKinney, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/428,270**

(22) Filed: **Jul. 27, 2012**

Related U.S. Application Data

(62) Division of application No. 29/369,663, filed on Sep. 10, 2010, now Pat. No. Des. 666,458.

(51) **LOC (9) Cl.** **07-02**

(52) **U.S. Cl.**
USPC **D7/361; D7/396.1**

(58) **Field of Classification Search**
USPC 220/574.3, 576, 755, 769, 912, 573.1, 220/574; D7/586, 500, 361, 354, 323, 402, D7/412, 543, 545, 587, 303, 360, 691; 99/422, 99/425, 445; 219/620, 621, 725, 726, 727, 219/728, 729, 730; D10/46.2; 228/174; D28/38


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|-------------|---------|------------|
| 269,054 A | 12/1882 | Hemsteger |
| D25,316 S | 3/1896 | Dobson |
| 676,799 A | 6/1901 | McLoughlin |
| 785,116 A | 3/1905 | Perry |
| D47,282 S | 5/1915 | Beurmann |
| 1,673,677 A | 5/1921 | Holland |
| 1,505,675 A | 8/1924 | Stirn |
| D109,508 S | 5/1938 | Wood |
| D113,856 S | 3/1939 | Smith |
| D117,054 S | 10/1939 | Bradford |
| 2,261,448 A | 11/1941 | Petersen |
| 2,350,475 A | 6/1944 | Rabazzana |

| | | |
|---------------|---------|-----------------------------|
| D162,354 S | 3/1951 | Smith |
| D167,942 S | 10/1952 | Jones |
| 2,655,016 A | 10/1953 | Hudson |
| 3,033,945 A | 5/1962 | Villchur |
| D195,345 S | 6/1963 | Stageberg |
| 3,193,309 A | 7/1965 | Morris |
| 3,824,742 A | 7/1974 | Rupp |
| D245,384 S | 8/1977 | Ashton |
| 4,225,162 A | 9/1980 | Dola |
| D270,887 S | 10/1983 | Allgeyer et al. |
| D275,925 S | 10/1984 | Bowen et al. |
| D286,399 S | 10/1986 | Willy |
| 4,834,328 A * | 5/1989 | Hall 248/37.3 |
| 4,873,795 A | 10/1989 | Spiess et al. |
| 4,921,447 A | 5/1990 | Capp et al. |
| 4,940,199 A | 7/1990 | Hall |
| 4,968,010 A | 11/1990 | Odobasic |
| 4,978,567 A | 12/1990 | Miller |
| 5,185,499 A | 2/1993 | Yahraus |
| 5,195,756 A | 3/1993 | Wachter |
| D337,005 S | 7/1993 | Culverhouse |
| D351,088 S | 10/1994 | Hsiao |
| 5,388,732 A | 2/1995 | Greger |
| 5,390,816 A | 2/1995 | Boyd |
| D358,062 S | 5/1995 | Hasuike |
| 5,413,502 A | 5/1995 | Wang |
| D369,727 S * | 5/1996 | Ancona D7/691 |
| D372,286 S | 7/1996 | Fortini |
| 5,532,073 A | 7/1996 | Hirata et al. |
| D378,578 S | 3/1997 | Eberhardt |
| 5,638,981 A | 6/1997 | Crane |
| D383,031 S | 9/1997 | Cousins |
| D386,042 S | 11/1997 | Miller |
| D391,118 S | 2/1998 | Jørgensen |
| D405,656 S | 2/1999 | Davis et al. |
| 5,915,580 A | 6/1999 | Melk |
| 5,922,993 A | 7/1999 | Ide et al. |
| 5,972,009 A | 10/1999 | Fortier et al. |
| D419,395 S | 1/2000 | Swanson |
| D423,621 S | 4/2000 | Holtby |
| D438,050 S | 2/2001 | Huntinger |
| D440,501 S * | 4/2001 | Dorion et al. D10/46.2 |
| D442,304 S | 5/2001 | Huang |
| D443,181 S | 6/2001 | Miller |
| 6,331,123 B1 | 12/2001 | Rodrigues |
| D455,599 S * | 4/2002 | Cheng D7/354 |
| 6,457,601 B1 | 10/2002 | Chappell |
| D473,752 S * | 4/2003 | Kerr D7/505 |
| D477,367 S | 7/2003 | Gaines et al. |
| 6,604,714 B1 | 8/2003 | Hall |
| D482,575 S | 11/2003 | Mountain |
| D484,690 S | 1/2004 | Vazquez |
| D492,538 S | 7/2004 | Cheng |



| | | | | |
|--------------|-----|---------|--------------------|--------|
| 6,886,707 | B2 | 5/2005 | Giraud | |
| D509,403 | S | 9/2005 | Raydo | |
| D509,994 | S | 9/2005 | Hadland | |
| D512,599 | S | 12/2005 | Hoenstein | |
| 6,990,893 | B2 | 1/2006 | Cheng | |
| D522,313 | S | 6/2006 | Oyler et al. | |
| D524,603 | S | 7/2006 | Kishbaugh et al. | |
| D539,611 | S | 4/2007 | Wasserman et al. | |
| D541,104 | S | 4/2007 | Barber | |
| D546,117 | S | 7/2007 | Orr | |
| D547,614 | S | 7/2007 | Kell | |
| D560,434 | S | 1/2008 | Feil | |
| D562,060 | S | 2/2008 | Kloppsteck | |
| D564,302 | S | 3/2008 | Freeman | |
| D565,357 | S * | 4/2008 | Chan | D7/586 |
| D568,677 | S | 5/2008 | Stattmann | |
| D579,715 | S | 11/2008 | Pawson et al. | |
| D586,177 | S | 2/2009 | Loring | |
| D590,203 | S | 4/2009 | Gates | |
| D593,807 | S | 6/2009 | Kong | |
| D599,164 | S | 9/2009 | Hoekstra | |
| D600,497 | S * | 9/2009 | Ek | D7/361 |
| D603,211 | S * | 11/2009 | Ek | D7/354 |
| 7,631,781 | B2 | 12/2009 | Chen | |
| D608,149 | S | 1/2010 | Kellermann | |
| D611,769 | S | 3/2010 | Hauser | |
| D617,609 | S | 6/2010 | Thomas | |
| D617,610 | S | 6/2010 | Thomas | |
| D618,494 | S | 6/2010 | Welk et al. | |
| D618,495 | S | 6/2010 | Welk et al. | |
| D627,198 | S | 11/2010 | Hull et al. | |
| D630,891 | S | 1/2011 | Thonis | |
| D639,115 | S | 6/2011 | Stewart et al. | |
| D642,868 | S | 8/2011 | Shah | |
| 7,992,714 | B1 | 8/2011 | Devault et al. | |
| D647,199 | S | 10/2011 | Kroiss | |
| D650,005 | S * | 12/2011 | Perks | D17/99 |
| D650,006 | S * | 12/2011 | Perks | D17/99 |
| D656,792 | S | 4/2012 | Sink et al. | |
| D657,624 | S | 4/2012 | Kastl | |
| D659,913 | S | 5/2012 | Spectre et al. | |
| 8,167,129 | B2 | 5/2012 | Hatcher | |
| 8,172,612 | B2 | 5/2012 | Bence et al. | |
| 8,192,237 | B2 | 6/2012 | Purdy et al. | |
| D664,399 | S | 7/2012 | Henry | |
| 8,216,315 | B2 | 7/2012 | Ralph et al. | |
| D665,228 | S | 8/2012 | Rosen | |
| 8,251,340 | B2 | 8/2012 | Webb et al. | |
| D666,458 | S | 9/2012 | Montgomery | |
| D672,192 | S | 12/2012 | Zibilich | |
| 2003/0015018 | A1 | 1/2003 | Brannon et al. | |
| 2004/0026429 | A1 | 2/2004 | Baldewsingh et al. | |
| 2005/0115974 | A1 | 6/2005 | Micciulla | |
| 2009/0241347 | A1 | 10/2009 | Weaver | |
| 2009/0321455 | A1 | 12/2009 | Fernandez et al. | |
| 2011/0073610 | A1 | 3/2011 | Giraud et al. | |

OTHER PUBLICATIONS

U.S. Appl. No. 13/490,364, filed Jun. 6, 2012, entitled "Bowl with Utensil Holder", inventor Seana L. Montgomery.

* cited by examiner

Primary Examiner — Cynthia Underwood
(74) Attorney, Agent, or Firm — Patent Capital Group

(57) CLAIM

The ornamental design for a pan with a utensil retention feature, as shown and described.

DESCRIPTION

This Design Application is also related to co-pending U.S. Design patent application Ser. No. 29/428,184, filed on Jul.

27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,185, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,187, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,188, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,189, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,215, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,221, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,222, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,225, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,227, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,232, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,240, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,244, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,248, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,253, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,256, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,261, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; U.S. Design patent application Ser. No. 29/428,276, filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature; and U.S. Design patent application Ser. No. 29/428,279 filed on Jul. 27, 2012, entitled Bowl With Utensil Retention Feature. The disclosure of these Design Applications are considered part of and are incorporated by reference in the disclosure of this design application.

FIG. 1 is a top perspective view showing a pan with a utensil retention feature;

FIG. 2 is a front view of FIG. 1;

FIG. 3 is a back view of FIG. 1;

FIG. 4 is a side view of FIG. 1;

FIG. 5 is another side view of FIG. 1;

FIG. 6 is a top view of FIG. 1;

FIG. 7 is a bottom view of FIG. 1;

FIG. 8 is an enlarged view of the portion of the claim shown within the broken line box labeled as FIG. 8 and shown on FIG. 1; and,

FIG. 9 is an enlarged view of the portion of the claim shown within the broken line box labeled as FIG. 9 and shown on FIG. 1.

The broken lines of the preceding FIGURES are included for the purpose of illustrating environment and form no part of the claimed design. The dot-dash-dot boundary line in FIGS. 1, 6, and 8 defines a boundary of the claimed design and forms no part of the claimed design.




FIG. 9

FIG. 8

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 8




FIG. 9




FIG. 6




FIG. 7