



US00D692645S

(12) **United States Design Patent**
Truelsen

(10) **Patent No.:** **US D692,645 S**

(45) **Date of Patent:** **** Nov. 5, 2013**

- (54) **SOLE**
- (71) Applicant: **ECCO Sko A/S, Bredebro (DK)**
- (72) Inventor: **Ejnar Truelsen, Tonder (DK)**
- (73) Assignee: **ECCO Sko A/S, Bredebro (DK)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/440,460**
- (22) Filed: **Dec. 21, 2012**

Related U.S. Application Data

- (63) Continuation of application No. 29/382,535, filed on Jan. 5, 2011, now Pat. No. Des. 676,636.

Foreign Application Priority Data

- (30) Jul. 7, 2010 (EM) 001729096-0005

- (51) **LOC (9) Cl.** **02-04**

- (52) **U.S. Cl.**
USPC **D2/953; D2/951; D2/954**

- (58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/3 B, 22 R, 24.5, 25 R,
36/28, 32 R, 34 R, 59 C, 67 A, 103
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D387,890	S	*	12/1997	Faulconer et al.	D2/953
5,926,974	A	*	7/1999	Friton	36/28
D428,242	S	*	7/2000	Truelsen	D2/960
6,119,373	A	*	9/2000	Gebhard et al.	36/114
6,226,896	B1	*	5/2001	Friton	36/28
6,354,020	B1	*	3/2002	Kimball et al.	36/29
D470,998	S	*	3/2003	Adreliunas et al.	D2/953

6,598,320	B2	*	7/2003	Turner et al.	36/28
D507,097	S	*	7/2005	Sonnergren	D2/956
D524,035	S	*	7/2006	Greene et al.	D2/977
D541,519	S	*	5/2007	Belley et al.	D2/972
D570,079	S	*	6/2008	Truelsen	D2/954
D571,087	S	*	6/2008	Dillenbeck et al.	D2/953
D608,990	S	*	2/2010	Truelsen	D2/946
D614,849	S	*	5/2010	Guest	D2/972
D616,637	S	*	6/2010	Taestensen	D2/955
D620,244	S	*	7/2010	Taestensen	D2/959
D633,699	S	*	3/2011	McMillan	D2/946
D636,569	S	*	4/2011	McMillan	D2/946
D639,041	S	*	6/2011	Truelsen	D2/969
D642,360	S	*	8/2011	Hansen	D2/916
D646,471	S	*	10/2011	Mahoney	D2/907
D650,978	S	*	12/2011	Lee	D2/946
D651,787	S	*	1/2012	Mahoney	D2/908
D652,614	S	*	1/2012	Raysse	D2/954

(Continued)

Primary Examiner — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — McCormick, Paulding & Huber LLP

(57) **CLAIM**

The ornamental design for a sole, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right-hand side perspective view of a sole comprising an embodiment of a new, original and ornamental design;

FIG. 2 is a front view thereof;

FIG. 3 is a left-hand side view thereof;

FIG. 4 is a right-hand side view thereof;


FIG. 5 is a top view thereof;

FIG. 6 is a rear view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines depict portions of the sole that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D655,489 S *	3/2012	Mahoney	D2/946	D662,697 S *	7/2012	Portzline	D2/947
D655,901 S *	3/2012	Raysse	D2/954	D662,700 S *	7/2012	Raysse	D2/954
D655,902 S *	3/2012	Debiase	D2/957	8,225,531 B2 *	7/2012	Aveni et al.	36/28
D662,295 S *	6/2012	Raysse	D2/954	D667,618 S *	9/2012	Raysse	D2/954
				2013/0019497 A1 *	1/2013	Sullivan et al.	36/28

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7