



US00D694146S

(12) **United States Design Patent**  
**Beeson**(10) **Patent No.:** **US D694,146 S**  
(45) **Date of Patent:** **\*\* Nov. 26, 2013**(54) **EARRING SECURER**(76) Inventor: **Elizabeth Beeson**, Ocean Springs, MS  
(US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/396,450**(22) Filed: **Jun. 30, 2011**(51) LOC (9) Cl. .... **11-01**

(52) U.S. Cl.

USPC ..... **D11/88**(58) **Field of Classification Search**USPC ..... D11/1-2, 40-88, 200-201, 203-206,  
D11/210, 212, 214-219, 22, 224, 226; 63/3,  
63/3.118-20; 24/163 R, 169-171, 173,  
24/177-179, 191, 194-195, 197, 200

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

4,134,183 A \* 1/1979 Fischer ..... 24/132 AA  
4,774,817 A \* 10/1988 Beam et al. ..... 63/12  
4,907,425 A \* 3/1990 Elkin ..... 63/124,920,671 A \* 5/1990 Zatkos ..... 40/301  
5,769,101 A \* 6/1998 Iwata ..... 132/273  
8,052,017 B2 \* 11/2011 Ivison ..... 223/109 R

\* cited by examiner


*Primary Examiner* — Zenia Bennett(57) **CLAIM**


I claim the ornamental design for the earring securer, as shown and described.

**DESCRIPTION**


FIG. 1 is an isometric view of the earring securer.  
FIG. 2 is a front view of the claimed design.  
FIG. 3 is a side view of the claimed design.  
FIG. 4 is a side view of the claimed design in use with a stud of an earring and of which balances the weight thereon; and, FIG. 5 is a side view of the claimed design in use with a second stud of an earring and of which balances the weight thereon.

FIGS. 4 and 5 each include broken lines depicting the earring and ear lobe, which are environmental matter forming no part of the claimed design.


**1 Claim, 2 Drawing Sheets**



**FIG. 1**



**FIG. 2**



**FIG. 3**

