



US00D709439S

(12) **United States Design Patent**
Ferber et al.

(10) **Patent No.:** **US D709,439 S**

(45) **Date of Patent:** **** Jul. 22, 2014**

(54) **BATTERY CASE FOR A MOBILE DEVICE**

(71) Applicant: **FKA Distributing Co., LLC**,
Commerce Township, MI (US)

(72) Inventors: **Roman S. Ferber**, West Bloomfield, MI
(US); **Hing Wah Tsang**, Ajax (CA);
John Liu, Mississauga (CA); **Andrew S.**
Juhasz, Ajax (CA); **David Riley**,
Markham (CA); **Jenna Stephens-Wells**,
Toronto (CA)

(73) Assignee: **RFA Brands, LLC**, Commerce
Township, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/440,916**

(22) Filed: **Dec. 28, 2012**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103; D13/108; D14/250**

(58) **Field of Classification Search**
USPC **D13/102-110, 118-119, 184, 199;**
D14/250-253, 432, 434; 320/101-102,
320/107-115, 120; 429/96-100, 149, 159,
429/163, 176, 177, 186
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D556,681 S * 12/2007 Kim D13/103
D616,360 S 5/2010 Huang
D616,361 S 5/2010 Huang
D643,029 S * 8/2011 Feng D14/250

D653,202 S 1/2012 Hasbrook et al.
D659,094 S 5/2012 Brand et al.
D663,263 S * 7/2012 Gupta et al. D13/103
D671,493 S 11/2012 Hasbrook et al.
D676,032 S * 2/2013 Stump et al. D14/250
8,367,235 B2 2/2013 Huang

(Continued)

Primary Examiner — Rosemary K Tarcza
(74) *Attorney, Agent, or Firm* — Brooks Kushman P.C.


(57) **CLAIM**

The ornamental design for a battery case for a mobile device,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery case for a mobile
device according to an embodiment;
FIG. 2 is a back side view of the battery case of FIG. 1;
FIG. 3 is a front side view of the battery case of FIG. 1;
FIG. 4 is a top side view of the battery case of FIG. 1;
FIG. 5 is a bottom side view of the battery case of FIG. 1;
FIG. 6 is a left side view of the battery case of FIG. 1;
FIG. 7 is a right side view of the battery case of FIG. 1;
FIG. 8 is a perspective view of the battery case of FIG. 1 with
a connector shown in a dislodged configuration according to
an embodiment;
FIG. 9 is a back side view of the battery case of FIG. 8;
FIG. 10 is a front side view of the battery case of FIG. 8;
FIG. 11 is a top side view of the battery case of FIG. 8;
FIG. 12 is a bottom side view of the battery case of FIG. 8;
FIG. 13 is a left side view of the battery case of FIG. 8; and,
FIG. 14 is a right side view of the battery case of FIG. 8.
The broken lines are for illustrative purposes only and form
no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D677,249 S * 3/2013 Li et al. D14/250
D679,694 S * 4/2013 Fahrendorff et al. D14/250
D681,620 S * 5/2013 Huskinson D14/250
D684,567 S * 6/2013 Murchison et al. D14/250
D686,199 S * 7/2013 Fahrendorff et al. D14/250

D687,426 S * 8/2013 Requa D14/250
D689,852 S * 9/2013 Azoulay D14/250
D700,598 S * 3/2014 Kim D14/250
2011/0159324 A1 6/2011 Huang et al.
2011/0287726 A1 11/2011 Huang
2011/0287808 A1 11/2011 Huang
2012/0303520 A1 11/2012 Huang

* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14