



US00D713884S

(12) **United States Design Patent**  
**Bengyak**

(10) **Patent No.:** **US D713,884 S**

(45) **Date of Patent:** **\*\* Sep. 23, 2014**

(54) **HAND SIGN**

(76) Inventor: **Christopher Edward Bengyak**, Vero Beach, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/431,301**

(22) Filed: **Sep. 5, 2012**

(51) **LOC (10) Cl.** ..... **20-03**

(52) **U.S. Cl.**  
USPC ..... **D20/29; D20/33**

(58) **Field of Classification Search**  
USPC ..... D20/10, 19, 29-33, 35-37, 99; 40/446, 40/538, 541, 584, 586; D2/615; D10/109.1, 109.2, 113.4; D21/400  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D144,710 S *	5/1946	Gosling	.....	D20/33
D360,653 S *	7/1995	McKee	.....	D20/33
D429,285 S *	8/2000	Schini	.....	D20/32
D628,650 S *	12/2010	Lake	.....	D20/33
D633,946 S *	3/2011	Scott	.....	D20/33
D649,597 S *	11/2011	Malinowski	.....	D20/33
D657,924 S *	4/2012	Soegaard	.....	D32/40
D662,548 S *	6/2012	Bengyak	.....	D20/29
D662,552 S *	6/2012	Bengyak	.....	D20/29
D662,990 S *	7/2012	Bengyak	.....	D20/29
D667,887 S *	9/2012	Bengyak	.....	D20/29
D671,599 S *	11/2012	Herndon	.....	D21/405
D674,845 S *	1/2013	Bengyak	.....	D20/30
D679,335 S *	4/2013	Bengyak	.....	D20/35

**OTHER PUBLICATIONS**

Bone—Trademark Registration No. 4238339, Nov. 6, 2012 First used in commerce—Aug. 1, 2012 LoTempio, Andrew.\*

18" Bone Foam Waver—Pepco Poms Sports <http://www.pepcopoms.com/pages/productpages/fnp530180.html> printed from the web on Feb. 18, 2014.\*

\* cited by examiner

*Primary Examiner* — Mary Ann Calabrese


(57) **CLAIM**

The ornamental design for a hand sign, as shown and described.

**DESCRIPTION**

FIG. 1 is a right-side elevational view of a first embodiment of a left-hand hand sign according to the invention;  
 FIG. 2 is a left-side elevational view of the left-hand hand sign of FIG. 1;  
 FIG. 3 is a rear elevational view of the left-hand hand sign of FIG. 1;  
 FIG. 4 is a front elevational view of the left-hand hand sign of FIG. 1;  
 FIG. 5 is a top plan view of the left-hand hand sign of FIG. 1;  
 FIG. 6 is a bottom plan view of the left-hand hand sign of FIG. 1;  
 FIG. 7 is a perspective view from below the rear of the left side of the left-hand hand sign of FIG. 2;  
 FIG. 8 is a left-side elevational view of a second embodiment of a right-hand hand sign according to the invention;  
 FIG. 9 is a right-side elevational view of the right-hand hand sign of FIG. 8;  
 FIG. 10 is a front elevational view of the right-hand hand sign of FIG. 8;  
 FIG. 11 is a rear elevational view of the right-hand hand sign of FIG. 8;  
 FIG. 12 is a top plan view of the right-hand hand sign of FIG. 8;  
 FIG. 13 is a bottom plan view of the right-hand hand sign of FIG. 8; and,  
 FIG. 14 is a perspective view from below the rear of the right side of the right-hand hand sign of FIG. 9.

**1 Claim, 10 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10




FIG. 11



FIG. 12



FIG. 13




FIG. 14