

US00D726643S

(12) **United States Design Patent**
Sato

(10) **Patent No.:** **US D726,643 S**
(45) **Date of Patent:** **** Apr. 14, 2015**

(54) **TREAD PORTION OF AN AUTOMOBILE TIRE**

D291,549 S * 8/1987 Neale D12/586
D308,502 S * 6/1990 Loeffler et al. D12/587
D403,626 S * 1/1999 Harris et al. D12/587
D622,658 S * 8/2010 Matsuzawa D12/587
D663,680 S * 7/2012 Westaway D12/587

(75) Inventor: **Kodai Sato**, Tokyo (JP)

* cited by examiner

(73) Assignee: **Bridgestone Corporation**, Tokyo (JP)

(**) Term: **14 Years**

Primary Examiner — Robert M Spear

(21) Appl. No.: **29/425,843**

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(22) Filed: **Jun. 27, 2012**

(30) **Foreign Application Priority Data**

Jan. 18, 2012 (JP) 2012-000884

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/583**; D12/604

(58) **Field of Classification Search**
USPC D12/582, 583, 586, 587, 588, 600, 602;
152/209.3, 209.9, 209.18, 209.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D224,580 S * 8/1972 Skerl D12/587
D240,723 S * 7/1976 LeJeune D12/602

(57) **CLAIM**

The ornamental design for a tread portion of an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of tread portion of an automobile tire according to my design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a fragmentary enlarged front view showing the details of the tread portion thereof; and,
FIG. 6 is a section view taken along line 6-6 in FIG. 5.
Broken lines in the drawing figures are used to show portions of the tire that are not claimed, and thus form no part of the claimed invention.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

