



US00D738795S

(12) **United States Design Patent**
Morrish et al.

(10) **Patent No.:** **US D738,795 S**

(45) **Date of Patent:** **** Sep. 15, 2015**

(54) **EVACUATION CHAIR**

(76) Inventors: **Gerald David Morrish**, Barnet (GB);
Kenneth George Morrish, Barnet (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/386,038**

(22) Filed: **Feb. 24, 2011**

(30) **Foreign Application Priority Data**

Aug. 26, 2010 (EP) 001747631-0001
Aug. 26, 2010 (EP) 001747631-0002

(51) **LOC (10) Cl.** **12-12**

(52) **U.S. Cl.**
USPC **D12/128**

(58) **Field of Classification Search**
USPC D12/128-133; 280/62, 647-650, 29,
280/200, 47.38, 250.1, 259, 642, 658,
280/304.1; 128/99.1, 100.1
CPC A61G 1/04; A61G 1/00; A61G 1/044;
A61G 1/048; A61G 1/0212; A61G 1/003;
A61G 1/0237; A61G 1/0231; A61G 1/0262;
A61G 1/052; A61G 1/0562; A61G 1/0567;
A61G 5/00-5/14; A61G 7/0504; A61G 7/103;
A61G 7/1046

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,882,949 A 5/1975 Anderson
4,033,595 A 7/1977 Mauch
4,077,483 A 3/1978 Randolph
4,136,888 A 1/1979 Bowie, Jr. et al.
4,618,155 A 10/1986 Jayne
4,678,202 A * 7/1987 Jensen et al. 280/642
5,228,709 A 7/1993 Kao
5,269,544 A 12/1993 Park
5,364,120 A * 11/1994 Shimansky 280/650
D430,078 S * 8/2000 Ellis et al. D12/131

6,561,524 B1 5/2003 Medina
6,648,343 B2 * 11/2003 Way et al. 280/5.22
6,929,275 B1 * 8/2005 Schlangen 280/250.1
D519,064 S * 4/2006 Schrand et al. D12/130
7,125,022 B2 10/2006 Medina

(Continued)

FOREIGN PATENT DOCUMENTS

CN 2857916 Y 1/2007
DE 10238681 A1 3/2004

(Continued)

OTHER PUBLICATIONS

MFS Fire Extinguishers Catalogue, "MFS Fire Extinguishers Evacuation Chairs", http://www.mfs-fire-extinguishers.co.uk/acatato/ Evacuation_Chair.html, accessed on Aug. 22, 2013, 1 page.

Primary Examiner — Ian Simmons
Assistant Examiner — Charles Hanson
(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.


(57) **CLAIM**

The ornamental design for an evacuation chair, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an evacuation chair showing our new design in a closed position.
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof, showing the evacuation chair in an open position;
FIG. 4 is a rear perspective view thereof;
FIG. 5 is a front view thereof; and,
FIG. 6 is a front perspective view thereof.
The dashed lines within the Figures represent stitching.
The shade lines within the Figures show contour and not surface ornamentation.

1 Claim, 6 Drawing Sheets



US D738,795 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

7,520,347 B2 * 4/2009 Chambliss et al. 180/8.2
7,841,611 B2 * 11/2010 Ivanchenko 280/250.1
8,191,908 B2 * 6/2012 Udall et al. 280/47.26

FOREIGN PATENT DOCUMENTS

EP

1894809 A2 3/2008

GB	178220	4/1922
GB	693983	7/1953
GB	1569166	6/1980
GB	2111001 A	6/1983
GB	2112330 A	7/1983
GB	2351268 A	12/2000
GB	2428649 A	2/2007
GB	2473833 A	3/2011
GB	2482593 A	2/2012

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6