



US00D744943S

(12) **United States Design Patent**  
**Bates**

(10) **Patent No.:** **US D744,943 S**  
(45) **Date of Patent:** **\*\* Dec. 8, 2015**

(54) **BATTERY CHARGER**  
(71) Applicant: **Lawrence M. Bates**, Deland, FL (US)  
(72) Inventor: **Lawrence M. Bates**, Deland, FL (US)  
(73) Assignee: **Deltona Transformer Corporation**,  
Deland, FL (US)  
(\*\*) Term: **14 Years**

D581,356 S \* 11/2008 Ahlgren ..... D13/107  
D617,267 S \* 6/2010 Li ..... D13/107  
D624,013 S \* 9/2010 Lingott ..... D13/107  
D624,014 S \* 9/2010 Lingott ..... D13/107  
D654,854 S \* 2/2012 Inskeep ..... D13/107  
D662,879 S \* 7/2012 Steinbuchel, IV ..... D13/107  
D664,501 S \* 7/2012 Inskeep ..... D13/107  
D694,180 S \* 11/2013 Inskeep ..... D13/107  
D696,188 S \* 12/2013 Loeck ..... D13/108  
D697,026 S \* 1/2014 Dasbach ..... D13/108

\* cited by examiner

(21) Appl. No.: **29/494,716**  
(22) Filed: **Jun. 24, 2014**  
(51) **LOC (10) Cl.** ..... **13-02**  
(52) **U.S. Cl.**  
USPC ..... **D13/107**  
(58) **Field of Classification Search**  
USPC ..... D13/107-110, 118-119, 182, 199;  
D14/251, 253, 432, 434; 320/107-115  
CPC ..... Y02E 60/12; Y02T 90/14; Y02T 90/122;  
Y02T 90/128; Y02T 90/163; H02J 7/025;  
H02J 7/0042; H02J 7/0044; H02J 7/0045;  
H02J 7/0003; H01F 38/14; H01R 13/6675;  
H01M 2/1022; H01M 2/1055; H01M 10/44;  
H01M 10/46; H01M 10/425; B60L 11/182  
See application file for complete search history.

*Primary Examiner* — Rosemary K Tarcza  
(74) *Attorney, Agent, or Firm* — Livingston Loeffler, P.A.;  
Edward M. Livingston, Esq.; Bryan L. Loeffler, Esq.


(57) **CLAIM**  
The ornamental design for a battery charger, as shown and described.


**DESCRIPTION**

FIG. 1 is a top perspective view of a battery charger of the present invention;  
FIG. 2 is a front view of the battery charger of the present invention;  
FIG. 3 is a rear view of the battery charger of the present invention;  
FIG. 4 is a top view of the battery charger of the present invention;  
FIG. 5 is a bottom view of the battery charger of the present invention;  
FIG. 6 is a right side view of the battery charger of the present invention; and,  
FIG. 7 is a left side view of the battery charger of the present invention.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
5,019,767 A \* 5/1991 Shirai ..... H01M 2/105  
224/902  
D511,743 S \* 11/2005 Hriscu ..... D13/107  
D575,225 S \* 8/2008 Ahlgren ..... D13/107

**1 Claim, 3 Drawing Sheets**








FIG. 4




FIG. 5




FIG. 6




FIG. 7