



US00D744978S

(12) **United States Design Patent**
Capriotti

(10) **Patent No.:** **US D744,978 S**
(45) **Date of Patent:** **** Dec. 8, 2015**

(54) **CASING FOR EARPHONES**

(71) Applicant: **Ismaele Capriotti**, Acquaviva Picena (IT)

(72) Inventor: **Ismaele Capriotti**, Acquaviva Picena (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/501,231**

(22) Filed: **Sep. 2, 2014**

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/205**

(58) **Field of Classification Search**
USPC D14/205, 223; 2/920, DIG. 11, 244; 174/117 F; 24/16 R, 16 PB; 224/257, 224/258, 901, 901.2, 901.4, 929, 607; 181/129, 130, 135; 379/430, 431; 381/380, 381, 383, 384

CPC H04R 1/1033
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,572,889	A *	10/1951	Strykower	224/258
3,086,529	A *	4/1963	Munz et al.	606/203
3,409,948	A *	11/1968	Goodwin	24/16 R
3,524,921	A *	8/1970	Wolf	174/70 C
4,070,553	A *	1/1978	Hass	381/301
4,460,804	A *	7/1984	Svejkovsky	174/117 A
4,696,556	A *	9/1987	Perry, III	351/157
4,815,172	A *	3/1989	Ward	24/16 R
5,164,987	A *	11/1992	Raven	381/309
5,233,704	A *	8/1993	Booher	2/207
5,329,592	A *	7/1994	Altman	381/379
5,608,808	A *	3/1997	da Silva	381/370
D430,139	S *	8/2000	Peters et al.	D14/205
6,233,345	B1 *	5/2001	Urwyler	381/381
6,690,808	B2 *	2/2004	Urwyler	381/381
6,721,579	B2 *	4/2004	Liu	455/569.1
6,916,992	B1 *	7/2005	Ortiz	174/138 F

D511,450	S *	11/2005	Seth	D8/396
D584,284	S	1/2009	Carr et al.		
7,519,192	B1 *	4/2009	Laycock et al.	381/301
D598,010	S	8/2009	Matsuda et al.		
D607,875	S *	1/2010	Pedersen, II	D14/206
7,673,348	B2 *	3/2010	Williams	2/115
7,762,441	B1 *	7/2010	Benally	224/257
D637,998	S *	5/2011	Brunner et al.	D14/205
D637,999	S *	5/2011	Brunner et al.	D14/205
D639,270	S	6/2011	Nagayama et al.		
D652,407	S	1/2012	Groset et al.		
8,144,915	B2 *	3/2012	Hankey et al.	381/384
D660,822	S *	5/2012	Holst	D14/205

(Continued)

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Andrew W. Chu; Craft Chu PLLC

(57) **CLAIM**

The ornamental design for a casing for earphones, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of the casing for earphones showing my design in an assembled configuration with the earphones is broken lines.

FIG. 2 is a top plan view of the casing in the assembled configuration with the earphones in broken lines;

FIG. 3 is a bottom plan view of the casing in the assembled configuration with the earphones in broken lines;

FIG. 4 is a side elevation view of the casing in the assembled configuration with the earphones in broken lines;



FIG. 5 is an opposite side elevation view of the casing in the assembled configuration with the earphones in broken lines;

FIG. 6 is a front elevation view of the casing in the assembled configuration with the earphones in broken lines; and,

FIG. 7 is a rear elevation view of the casing in the assembled configuration with the earphones in broken lines.

The drawings show the design of casing for earphones for reducing tangles of the earphones. The broken lines in the drawings form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D744,978 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D668,632 S 10/2012 Enquist
8,458,864 B1 * 6/2013 Patton et al. 24/306
D685,760 S * 7/2013 Fletcher et al. D14/205

D685,761 S * 7/2013 Fletcher et al. D14/205
8,625,836 B2 * 1/2014 Aase et al. 381/384
2007/0080186 A1 * 4/2007 deLeon et al. 224/600
2009/0175482 A1 * 7/2009 Crutcher 381/376

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7