



US00D750318S

(12) **United States Design Patent**  
**Ladnier et al.**

(10) **Patent No.:** **US D750,318 S**  
(45) **Date of Patent:** **\*\* Feb. 23, 2016**

(54) **LUMINAIRE TRAY**

(71) Applicant: **DELTA T CORPORATION**,  
Lexington, KY (US)

(72) Inventors: **David Ladnier**, Versailles, KY (US);  
**Terry M. Birchler**, Blacklick, OH (US);  
**Shawn Whetstone**, New Albany, OH  
(US)

(73) Assignee: **DELTA T CORPORATION**,  
Lexington, KY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/485,204**

(22) Filed: **Mar. 17, 2014**

(51) **LOC (10) Cl.** ..... **26-99**

(52) **U.S. Cl.**  
USPC ..... **D26/138**

(58) **Field of Classification Search**  
USPC ..... D26/3, 24, 35, 39, 42, 71, 72, 75, 76,  
D26/78, 79, 80, 81, 82, 83, 85, 88, 90, 118,  
D26/119, 120, 121, 122, 138  
CPC ..... F21S 4/00; F21S 4/003; F21S 4/006;  
F21S 4/007; F21S 4/008; F21S 6/004; F21S  
6/005; F21K 9/54; F21V 15/01; F21V 15/013  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D123,887 S \* 12/1940 Koehler ..... D26/75  
D581,079 S \* 11/2008 Mier-Langner ..... D26/76

(Continued)

**OTHER PUBLICATIONS**

Low Bay LED, Posted Mar. 16, 2015, Big Ass Light, [online], [site visited Sep. 23, 2015]. Available from Internet, <<https://www.bigas-slight.com/products/low-bay-led/>>.\*

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — King & Schickli, PLLC

(57) **CLAIM**

We claim, the ornamental design for a luminaire tray, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a first embodiment of the luminaire tray;

FIG. 2 is a bottom perspective view of the first embodiment of the luminaire tray;

FIG. 3 is a left side view of the first embodiment of the luminaire tray;

FIG. 4 is a right side view of the first embodiment of the luminaire tray;

FIG. 5 is a front view of the first embodiment of the luminaire tray;

FIG. 6 is a rear side view of the first embodiment of the luminaire tray;

FIG. 7 is a top view of the first embodiment of the luminaire tray;

FIG. 8 is a bottom view of the first embodiment of the luminaire tray;

FIG. 9 is a top perspective view of a second embodiment of the luminaire tray;

FIG. 10 is a bottom perspective view of the second embodiment of the luminaire tray;

FIG. 11 is a left side view of the second embodiment of the luminaire tray;

FIG. 12 is a right side view of the second embodiment of the luminaire tray;

FIG. 13 is a front view of the second embodiment of the luminaire tray;


FIG. 14 is a rear side view of the second embodiment of the luminaire tray;

FIG. 15 is a top view of the second embodiment of the luminaire tray; and,

FIG. 16 is a bottom view of the second embodiment of the luminaire tray.

The broken lines in the drawings illustrate portions of luminaire tray, which form no part of the claimed design. The break lines in the drawings indicate that the appearance of any portion of the luminaire tray between the break lines forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D750,318 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D647,246 S \* 10/2011 Chadwick ..... D26/138  
D653,793 S \* 2/2012 Marquardt ..... D26/80  
D670,422 S \* 11/2012 Siekmann ..... D26/76

D695,440 S \* 12/2013 Kim ..... D26/72  
2006/0033000 A1\* 2/2006 Seo ..... E04B 9/006  
248/343  
2012/0250309 A1\* 10/2012 Handsaker ..... F21V 5/04  
362/235

\* cited by examiner




FIG. 1

FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

FIG. 10




FIG. 12




FIG. 11




FIG. 13




FIG. 14




FIG. 15




FIG. 16