



US00D757849S

(12) **United States Design Patent**
Takahashi

(10) **Patent No.:** **US D757,849 S**
(45) **Date of Patent:** **** May 31, 2016**

(54) **BARCODE PRINTER**
(71) Applicant: **TOSHIBA TEC KABUSHIKI**
KAISHA, Shinagawa-ku, Tokyo (JP)
(72) Inventor: **Keiichiro Takahashi**, Kanagawa-ken
(JP)
(73) Assignee: **TOSHIBA TEC KABUSHIKI**
KAISHA, Tokyo (JP)

5,092,688 A * 3/1992 Haennelt G06K 1/121
400/613
D393,278 S * 4/1998 Lee D18/50
D406,160 S * 2/1999 Davis D18/54
6,428,220 B1 * 8/2002 Arnold G06K 1/121
400/103
7,600,684 B2 * 10/2009 Tobin B41J 2/32
400/613
D622,760 S * 8/2010 Kimura et al. D18/50
D689,542 S * 9/2013 Klocke et al. D18/50

* cited by examiner

(**) Term: **14 Years**

Primary Examiner — Cathy Anne MacCormac

(21) Appl. No.: **29/477,048**

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP

(22) Filed: **Dec. 19, 2013**

(30) **Foreign Application Priority Data**

Jun. 24, 2013 (JP) D2013-014143

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D18/50**

(58) **Field of Classification Search**
USPC D18/50, 54, 54.1, 55, 14, 19; 400/613,
400/613.1–613.4, 690.1–690.4, 691–694
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,884,904 A * 12/1989 Berquist G06K 1/121
D18/50
5,078,518 A * 1/1992 Ono G09F 3/0298
400/103

(57) **CLAIM**

The ornamental design for a barcode printer, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of barcode printer, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is rear view thereof;
FIG. 4 is top view thereof;
FIG. 5 is bottom view thereof;
FIG. 6 is right side view thereof; and,
FIG. 7 is left side view thereof.

The broken lines depict environmental subject matter, are for illustration only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

