



US00D773440S

(12) **United States Design Patent**
Pedersen

(10) **Patent No.:** **US D773,440 S**
(45) **Date of Patent:** **** Dec. 6, 2016**

(54) **EARBUD**
(71) Applicant: **Freebit AS**, Oslo (NO)
(72) Inventor: **Vidar Pedersen**, Fredrikstad (NO)
(73) Assignee: **Freebit AS**, Oslo (NO)
(**) Term: **15 Years**

(21) Appl. No.: **29/542,845**

(22) Filed: **Oct. 19, 2015**

Related U.S. Application Data

(62) Division of application No. 29/497,097, filed on Jul. 21, 2014, now Pat. No. Des. 744,456.

(30) **Foreign Application Priority Data**

Jan. 24, 2014 (EM) 002390799-0001
Jan. 24, 2014 (EM) 002390799-0002
Jan. 24, 2014 (EM) 002390799-0003
Jan. 24, 2014 (EM) 002390799-0004

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/223**

(58) **Field of Classification Search**
USPC D14/223, 205; 181/129, 130, 135; 379/430, 431; 381/380, 381, 322, 327, 325, 381/328, 329; 455/90.3, 575.1
CPC H04R 25/00; H04R 25/02; H04R 1/1016; H04R 1/105; H04R 1/1083
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,614,987 A * 1/1927 Langenbeck H04R 25/65
181/135
1,893,474 A * 1/1933 Lieber H04R 25/656
381/328

2,325,590 A * 7/1943 Carlisle H04R 11/06
381/322
D141,071 S * 5/1945 Hechler D24/174
2,377,739 A * 6/1945 Wyckoff A61F 11/008
181/132
2,391,924 A * 1/1946 Rutter H04R 17/00
29/594
2,549,629 A * 4/1951 Nelson H04R 25/60
381/313
2,787,670 A * 4/1957 Rowland H04R 25/652
381/322
2,804,932 A * 9/1957 Bedard H04R 25/652
181/132
2,959,645 A * 11/1960 Ladd H04R 25/652
220/4.21
3,368,644 A * 2/1968 Henderson G02C 11/06
181/129
4,069,400 A * 1/1978 Johanson H04R 25/60
381/322

(Continued)

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Abelman, Frayne & Schwab



(57) **CLAIM**

The ornamental design for an earbud, as shown and described.

DESCRIPTION

FIG. 1 is a front, right side, and top perspective view of an earbud showing the new design;
FIG. 2 is a front elevation thereof;
FIG. 3 is a rear elevation thereof;
FIG. 4 is a right side elevation thereof;
FIG. 5 is a left side elevation thereof;
FIG. 6 is a top plan thereof; and,
FIG. 7 is a bottom plan thereof.
The broken lines illustrate portions of the earbud and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,311,206 A * 1/1982 Johnson H04R 25/48
 181/135
 4,349,083 A * 9/1982 Bennett H04R 25/48
 181/130
 D266,590 S * 10/1982 Bennett D24/174
 5,146,051 A * 9/1992 Hermann H04R 25/652
 181/130
 5,345,509 A * 9/1994 Hofer H04R 25/652
 381/151
 5,659,156 A * 8/1997 Mauney H04R 1/1016
 181/130
 D388,093 S * 12/1997 Frengley D14/223
 D471,537 S * 3/2003 Ham D14/223
 D478,991 S * 8/2003 Dyer D24/174
 6,690,807 B1 * 2/2004 Meyer G02C 5/143
 2/12
 6,879,697 B2 * 4/2005 Tøpholm H04R 25/658
 181/135
 D532,110 S * 11/2006 Bailey D24/174
 7,139,404 B2 * 11/2006 Feeley H04R 25/608
 381/322

D563,945 S * 3/2008 Johns D14/205
 D601,134 S * 9/2009 Elabidi D14/223
 D618,219 S * 6/2010 Burgett D14/223
 D622,265 S * 8/2010 Rye D14/223
 D622,704 S * 8/2010 Fahrendorff D14/223
 D628,990 S * 12/2010 Pedersen D14/223
 D630,621 S * 1/2011 Pedersen D14/223
 D634,306 S * 3/2011 Pedersen D14/223
 D640,670 S * 6/2011 Rye D14/223
 D641,008 S * 7/2011 Lee D14/223
 D655,693 S * 3/2012 Silvestri D14/223
 8,311,253 B2 * 11/2012 Silvestri H04R 1/1075
 181/129
 D687,021 S * 7/2013 Yuen D14/223
 D694,220 S * 11/2013 Lee D14/223
 D714,260 S * 9/2014 Han D14/223
 D716,770 S * 11/2014 Bonahoom D14/223
 D721,354 S * 1/2015 Thompson D14/223
 D732,008 S * 6/2015 Akana D14/223
 D742,362 S * 11/2015 Bonahoom D14/205
 D744,456 S * 12/2015 Pedersen D14/223
 D755,158 S * 5/2016 Lee D14/205
 2005/0147269 A1 * 7/2005 Oliveira H04R 1/10
 381/382

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

