



US00D773719S

(12) **United States Design Patent**
Sonneman

(10) **Patent No.:** **US D773,719 S**
(45) **Date of Patent:** **** Dec. 6, 2016**

(54) **LIGHTING SYSTEM**

(71) Applicant: **Robert A. Sonneman**, Mamaroneck,
NY (US)

(72) Inventor: **Robert A. Sonneman**, Mamaroneck,
NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/565,880**

(22) Filed: **May 25, 2016**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/90**

(58) **Field of Classification Search**
USPC D26/81-91, 143, 144
CPC F21S 8/04; F21S 8/043; F21S 8/046;
F21S 8/06; F21S 8/061; F21S
8/063; F21S 8/065
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D202,997 S *	11/1965	Heifetz	D26/144
D228,146 S *	8/1973	Schwartz	D26/82
D241,066 S *	8/1976	Schacht	D26/81
D317,058 S	5/1991	Sonneman	
D320,465 S *	10/1991	Sonneman	D26/86
D373,002 S *	8/1996	Porter	D26/144
D373,213 S *	8/1996	Porter	D26/84
7,354,171 B2 *	4/2008	Pazula	F21V 21/02 362/135
D592,787 S *	5/2009	Chandler	D26/81
D604,886 S *	11/2009	Rugee	D26/81
D605,810 S *	12/2009	Rugee	D26/84
D620,176 S *	7/2010	Sabernig	D26/143
D620,629 S *	7/2010	Sabernig	D26/84
D634,887 S *	3/2011	Kitts	D26/143
D635,709 S *	4/2011	Federico	D26/84
D649,276 S *	11/2011	Sabernig	D26/84

D649,277 S *	11/2011	Sabernig	D26/84
D649,675 S *	11/2011	Sabernig	D26/84
D657,486 S *	4/2012	Sabernig	D26/84
D657,487 S *	4/2012	Sabernig	D26/84
D666,760 S *	9/2012	Arola Ferrer	D26/84
D671,670 S	11/2012	Sonneman	
D674,955 S *	1/2013	Sonneman	D26/88
D684,292 S *	6/2013	Sonneman	D26/83
D709,637 S *	7/2014	Terzani	D26/83
D722,402 S *	2/2015	Orozco	D26/88
D761,478 S *	7/2016	Ng	D26/80
D761,990 S *	7/2016	Ng	D26/80
D761,992 S *	7/2016	Ng	D26/88

(Continued)

OTHER PUBLICATIONS

Suspenders Configuration No. S1H36K-SR180612-SC02 from
Sonneman A Way of Light. Dated Aug. 9, 2016.*

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Gottlieb, Rackman &
Reisman P.C.



(57) **CLAIM**

The ornamental design for a lighting system, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of the lighting system showing
my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof, the rear elevational
view being a mirror image;
FIG. 4 is a right side elevational view thereof, the left side
being a mirror image; and,
FIG. 5 is a bottom plan view thereof.
The broken lines in the drawings are included for the
purpose of illustrating portions of the article that form no
part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0257388 A1 * 10/2012 Bracher F21S 8/061
362/249.01

* cited by examiner





FIG. 1






FIG. 3




FIG. 4




FIG. 5