



US00D773719S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,719 S**  
**Sonneman** (45) **Date of Patent:** **\*\* Dec. 6, 2016**

(54) **LIGHTING SYSTEM**

(71) Applicant: **Robert A. Sonneman**, Mamaroneck, NY (US)

(72) Inventor: **Robert A. Sonneman**, Mamaroneck, NY (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/565,880**

(22) Filed: **May 25, 2016**

(51) **LOC (10) Cl.** ..... **26-03**

(52) **U.S. Cl.**  
USPC ..... **D26/90**

(58) **Field of Classification Search**  
USPC ..... D26/81-91, 143, 144  
CPC ..... F21S 8/04; F21S 8/043; F21S 8/046;  
F21S 8/06; F21S 8/061; F21S 8/063; F21S 8/065

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|                |         |                |                       |
|----------------|---------|----------------|-----------------------|
| D202,997 S *   | 11/1965 | Heifetz .....  | D26/144               |
| D228,146 S *   | 8/1973  | Schwartz ..... | D26/82                |
| D241,066 S *   | 8/1976  | Schacht .....  | D26/81                |
| D317,058 S     | 5/1991  | Sonneman       |                       |
| D320,465 S *   | 10/1991 | Sonneman ..... | D26/86                |
| D373,002 S *   | 8/1996  | Porter .....   | D26/144               |
| D373,213 S *   | 8/1996  | Porter .....   | D26/84                |
| 7,354,171 B2 * | 4/2008  | Pazula .....   | F21V 21/02<br>362/135 |
| D592,787 S *   | 5/2009  | Chandler ..... | D26/81                |
| D604,886 S *   | 11/2009 | Rugee .....    | D26/81                |
| D605,810 S *   | 12/2009 | Rugee .....    | D26/84                |
| D620,176 S *   | 7/2010  | Sabernig ..... | D26/143               |
| D620,629 S *   | 7/2010  | Sabernig ..... | D26/84                |
| D634,887 S *   | 3/2011  | Kitts .....    | D26/143               |
| D635,709 S *   | 4/2011  | Federico ..... | D26/84                |
| D649,276 S *   | 11/2011 | Sabernig ..... | D26/84                |

|              |         |                    |        |
|--------------|---------|--------------------|--------|
| D649,277 S * | 11/2011 | Sabernig .....     | D26/84 |
| D649,675 S * | 11/2011 | Sabernig .....     | D26/84 |
| D657,486 S * | 4/2012  | Sabernig .....     | D26/84 |
| D657,487 S * | 4/2012  | Sabernig .....     | D26/84 |
| D666,760 S * | 9/2012  | Arola Ferrer ..... | D26/84 |
| D671,670 S   | 11/2012 | Sonneman           |        |
| D674,955 S * | 1/2013  | Sonneman .....     | D26/88 |
| D684,292 S * | 6/2013  | Sonneman .....     | D26/83 |
| D709,637 S * | 7/2014  | Terzani .....      | D26/83 |
| D722,402 S * | 2/2015  | Orozco .....       | D26/88 |
| D761,478 S * | 7/2016  | Ng .....           | D26/80 |
| D761,990 S * | 7/2016  | Ng .....           | D26/80 |
| D761,992 S * | 7/2016  | Ng .....           | D26/88 |

(Continued)

**OTHER PUBLICATIONS**

Suspenders Configuration No. S1H36K-SR180612-SC02 from Sonneman A Way of Light. Dated Aug. 9, 2016.\*

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Gottlieb, Rackman & Reisman P.C.



(57) **CLAIM**

The ornamental design for a lighting system, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the lighting system showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image;  
FIG. 4 is a right side elevational view thereof, the left side being a mirror image; and,  
FIG. 5 is a bottom plan view thereof.  
The broken lines in the drawings are included for the purpose of illustrating portions of the article that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2012/0257388 A1 \* 10/2012 Bracher ..... F21S 8/061  
362/249.01

\* cited by examiner





FIG. 1






FIG. 3




FIG. 4




FIG. 5