



US00D791087S

(12) **United States Design Patent** (10) **Patent No.:** **US D791,087 S**
Kajiura et al. (45) **Date of Patent:** **** *Jul. 4, 2017**

(54) **VEHICLE REMOTE CONTROLLER**

(71) Applicant: **DENSO CORPORATION**, Kariya,
Aichi-pref. (JP)

(72) Inventors: **Shinji Kajiura**, Kariya (JP); **Hikaru Imamura**, Kariya (JP)

(73) Assignee: **DENSO CORPORATION**, Kariya (JP)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/539,020**

(22) Filed: **Sep. 10, 2015**

(30) **Foreign Application Priority Data**

Mar. 30, 2015 (JP) 2015-6916

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D13/168**

(58) **Field of Classification Search**

USPC D13/168; D1/127; D3/207, 208, 212,
D3/215; D8/347; D6/601; D10/104.1,
D10/106.1

CPC ... B60R 2225/00; B60R 25/00; B60R 25/104;
H01H 9/02; H01H 9/0214; H01H 9/0235;
G07C 9/00944; G05B 1/01; E05B
19/0082; E05B 19/04; Y10T 70/8676

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,351,051 A * 9/1994 Yano G07C 9/00944
340/12.55

D351,828 S * 10/1994 Pucci D13/168

D356,746 S * 3/1995 Dziersk D10/104.1

D406,186 S * 3/1999 Robles D1/102

D493,710 S * 8/2004 Rowland, Sr. D1/127
D513,235 S * 12/2005 Martin D13/168
D515,040 S * 2/2006 Jones D13/168
D538,033 S * 3/2007 Schaecken D3/207
D559,530 S * 1/2008 Bates D3/207
D565,436 S * 4/2008 McDarby D10/104.1
7,463,134 B1 * 12/2008 Stilley A45C 11/18
340/5.61

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/539,029, filed Sep. 10, 2015 in the name of Kajiura et al.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for a vehicle remote controller, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the vehicle remote controller;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left-side elevational view thereof;

FIG. 6 is a right-side elevational view thereof;

FIG. 7 is a left-side, rear, top perspective view thereof;

FIG. 8 is a left-side, front, top perspective view thereof;



FIG. 9 is a right-side, front, bottom perspective view thereof;

FIG. 10 is a right-side, rear, bottom perspective view thereof; and,

FIG. 11 is a reference view thereof showing the remote controller attached to a key ring and chain.

The broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D615,794	S *	5/2010	Jorgensen	D6/601
D720,456	S *	12/2014	Dacosta	D24/155
9,420,905	B2 *	8/2016	Willingham	A47G 9/10
2004/0099430	A1 *	5/2004	Scudder	G07C 9/00944
				174/564
2007/0237873	A1 *	10/2007	Rowland	A23G 3/0095
				426/573
2012/0087096	A1 *	4/2012	Shen	G07C 9/00944
				361/760
2013/0145803	A1 *	6/2013	Kataya	E05B 19/00
				70/447
2013/0161051	A1 *	6/2013	Imamura	G07C 9/00944
				174/50
2014/0190737	A1 *	7/2014	Chen	G07C 9/00944
				174/535

OTHER PUBLICATIONS

U.S. Appl. No. 29/539,043, filed Sep. 10, 2015 in the name of Kajiura et al.

Feb. 16, 2016 Office Action issued in Korean Design Patent Application No. 30-2015-0040099.

Nov. 9, 2016 Office Action issued in U.S. Appl. No. 29/539,043.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

