



US00D791748S

(12) **United States Design Patent** (10) **Patent No.:** **US D791,748 S**
Bellows (45) **Date of Patent:** **** Jul. 11, 2017**

- (54) **LOCATIONING MODULE**
- (71) Applicant: **SYMBOL TECHNOLOGIES, LLC**,
Lincolnshire, IL (US)
- (72) Inventor: **David E. Bellows**, Wantagh, NY (US)
- (73) Assignee: **Symbol Technologies, LLC**, Holtsville,
NY (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/550,675**
- (22) Filed: **Jan. 6, 2016**
- (51) **LOC (10) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/240; D14/230**
- (58) **Field of Classification Search**
USPC D14/356, 357, 358, 361, 362, 365, 367,
D14/370, 432, 434, 230, 235, 240, 242,
D14/299, 125, 137, 155, 168, 188;
D13/107, 108, 123, 162, 162.1, 163, 184,
D13/199; D10/46, 61, 62, 65, 70, 74, 75,
D10/104.1, 106.1, 121
CPC ... H04W 88/06; H04W 88/085; H04W 84/02;
H01Q 1/2291; H01Q 1/24; H01Q 1/241;
H01Q 1/247; H01Q 1/248; H01Q 1/38;
H01Q 1/007
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D318,673 S * 7/1991 Terk D14/230
D345,564 S * 3/1994 Kadono D14/230
D378,592 S * 3/1997 Hartwig D14/230
D396,471 S * 7/1998 Kolinen D14/240
D396,724 S * 8/1998 Herbst D14/230
D427,180 S * 6/2000 Humes D14/230
D440,960 S * 4/2001 Barber D14/230

- D492,671 S * 7/2004 Shibano D14/230
- D505,416 S * 5/2005 Ma D14/230
- D530,317 S * 10/2006 Johnson D14/242
- D530,708 S * 10/2006 Maruyama D14/240
- D531,172 S * 10/2006 Noro D14/230
- D548,199 S * 8/2007 Chen D10/106.1
- D556,190 S * 11/2007 Liu D14/240
- D595,704 S * 7/2009 DiClemente D14/240
- D596,627 S * 7/2009 Cho D14/240
- D604,724 S * 11/2009 Vorreiter D14/240
- D606,983 S * 12/2009 Hamer D14/240
- D612,369 S * 3/2010 Conrad D14/230
- D614,610 S * 4/2010 Sala D14/230
- D635,106 S * 3/2011 Cheng D13/184
- D655,697 S * 3/2012 Petsch D13/182
- D656,131 S * 3/2012 Suleiman D14/230
- D664,126 S * 7/2012 Feit D14/230
- D697,059 S * 1/2014 Miller D14/230

(Continued)

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Marie Fast Horse


(57) **CLAIM**

The ornamental design for a locationing module, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a locationing module showing the new design;
FIG. 2 is a front perspective view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines and unshaded portions contained within broken lines shown in the drawings are for illustrative purposes only and depict portions of the locationing module that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D730,333	S *	5/2015	Matsumoto	D14/240
D731,491	S *	6/2015	Larson	D14/435
D754,640	S *	4/2016	Zuniga	D14/230
D754,641	S *	4/2016	Suleiman	D14/230
D758,999	S *	6/2016	Matsuoka	D14/230
D759,639	S *	6/2016	Moon	D14/242
2002/0094087	A1 *	7/2002	Dellmo	H04W 12/02 380/270
2002/0095594	A1 *	7/2002	Dellmo	G06F 21/602 726/26
2003/0124883	A1 *	7/2003	Hsu	H01Q 1/125 439/76.1
2008/0254761	A1 *	10/2008	Troemel	H04B 1/08 455/344
2010/0060454	A1 *	3/2010	Kazanchian	H05K 1/0218 340/572.1
2015/0018044	A1 *	1/2015	Sekine	H04W 88/085 455/561
2015/0236403	A1 *	8/2015	Cheng	G01S 13/505 343/700 MS
2016/0126624	A1 *	5/2016	Lee	H01Q 1/526 343/841
2016/0141791	A1 *	5/2016	Wang	H01R 13/516 439/501
2016/0149288	A1 *	5/2016	Wang	H01Q 1/38 343/906

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8