



US00D796732S

(12) **United States Design Patent** (10) **Patent No.:** **US D796,732 S**  
**Arbel** (45) **Date of Patent:** **\*\* Sep. 5, 2017**

(54) **LIGHT FIXTURE**  
(71) Applicant: **Bocci Design and Manufacturing, Inc., Vancouver (CA)**  
(72) Inventor: **Omer Arbel, Vancouver (CA)**  
(73) Assignee: **Bocci Design and Manufacturing, Inc., Vancouver, B.C. (CA)**  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/474,292**  
(22) Filed: **Aug. 4, 2014**  
(51) **LOC (10) Cl.** ..... **26-05**  
(52) **U.S. Cl.**  
USPC ..... **D26/125**  
(58) **Field of Classification Search**  
USPC ..... D26/24, 26, 51, 57, 72, 73, 74, 76, 81, D26/83, 84, 85, 88, 90, 118, 128, 131, D26/132, 125; 362/147, 363, 404-408; D24/200, 211, 215; D30/160; D14/204, D14/207  
CPC . F21V 3/00; F21V 3/02; F21V 3/0418; F21V 3/026; F21V 29/83; F21V 29/506; F21V 29/86; F21V 15/01; F21W 2121/00  
See application file for complete search history.

D545,510 S \* 6/2007 Viola ..... D30/160  
D556,361 S 11/2007 Arbel  
D582,049 S \* 12/2008 Ferber ..... D24/214  
D582,563 S \* 12/2008 Ferber ..... D24/214  
D585,162 S \* 1/2009 Partain ..... D30/160  
D597,243 S 7/2009 Trumble et al.  
D613,448 S 4/2010 Lovegrove  
D628,740 S 12/2010 Arbel  
D632,835 S \* 2/2011 Arbel ..... D26/128  
D650,514 S \* 12/2011 Lin ..... D26/118  
D665,915 S \* 8/2012 Ma ..... D24/215  
D692,854 S \* 11/2013 Stabile ..... D14/207  
D700,755 S \* 3/2014 Reiss ..... D30/121  
D709,637 S \* 7/2014 Terzani ..... D26/83  
D729,940 S \* 5/2015 Zeng ..... D24/215  
D731,667 S \* 6/2015 Elenga ..... D24/215  
D752,021 S \* 3/2016 Nardin ..... D14/204  
D754,911 S \* 4/2016 Arbel ..... D26/118  
D754,934 S \* 4/2016 Guthrie ..... D30/160  
2003/0223238 A1 12/2003 Hsu et al.

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez  
*Assistant Examiner* — Llorellys Martinez-Rivera  
(74) *Attorney, Agent, or Firm* — Todd N. Hathaway

(57) **CLAIM**

The ornamental design for a light fixture, as shown and described herein.

**DESCRIPTION**

FIG. 1 is a front perspective view of a light fixture showing my new design;  
FIG. 2 is a top perspective view of the light fixture of FIG. 1;  
FIG. 3 is a bottom perspective view thereof;  
FIG. 4 is a first side perspective view thereof;  
FIG. 5 is a second side perspective thereof;  
FIG. 6 is a third side perspective thereof;  
FIG. 7 is a fourth side perspective view thereof; and,  
FIG. 8 is a fifth side perspective view thereof.

**1 Claim, 8 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
595,636 A 12/1897 Kuhnert  
D210,796 S 4/1968 Jones et al.  
D222,105 S 9/1971 Encausse  
D330,921 S \* 11/1992 LaMagna ..... D21/483  
D387,448 S 12/1997 Barthelmess  
D479,757 S \* 9/2003 Fickas ..... D26/128  
D481,155 S \* 10/2003 Cline ..... D26/128  
D505,513 S 5/2005 Rugee  
D536,479 S 2/2007 Rugee  
D538,460 S 3/2007 Rugee



FIG. 1



FIG. 2



FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7






FIG. 8

