



US00D797760S

(12) **United States Design Patent** (10) **Patent No.:** **US D797,760 S**
Tsujimura et al. (45) **Date of Patent:** **** Sep. 19, 2017**

(54) **CONTROL BOARD DEVICE WITH GRAPHICAL USER INTERFACE**

(71) Applicant: **JTEKT CORPORATION**, Osaka-shi (JP)

(72) Inventors: **Kazuhiro Tsujimura**, Okazaki (JP); **Tomokazu Takayama**, Ichinomiya (JP); **Takahito Umeki**, Toyota (JP); **Masanori Ando**, Nishio (JP); **Hiroyuki Tsusaka**, Nagoya (JP)

(73) Assignee: **JTEKT CORPORATION**, Osaka-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/557,060**

(22) Filed: **Mar. 4, 2016**

(30) **Foreign Application Priority Data**

Sep. 15, 2015 (JP) 2015-020443

(51) **LOC (10) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/485**

(58) **Field of Classification Search**
USPC D14/485-495
CPC .. G06F 3/048; G06F 3/04842; G06F 3/04847;
G06F 3/0481; G06F 17/211; G06F
17/212
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D681,048 S * 4/2013 Freiburger D14/486
D688,687 S * 8/2013 Smith D14/486
D696,279 S * 12/2013 Bortman D14/486
D701,227 S * 3/2014 Lee D14/486

D707,236 S * 6/2014 Yang D14/486
D714,319 S * 9/2014 Pereira D14/485
D714,822 S * 10/2014 Capua D14/488
D715,815 S * 10/2014 Bortman G06F 3/04817
D14/486
D715,832 S * 10/2014 Lee D14/488
D719,183 S * 12/2014 Kuwahara D14/486
D719,581 S * 12/2014 Frew D14/486
D719,582 S * 12/2014 Frew D14/486
D733,736 S * 7/2015 Omiya D14/486
D737,309 S * 8/2015 Kito D14/486
D738,903 S * 9/2015 Lee D14/485
D740,842 S * 10/2015 Liu D14/486
D746,827 S * 1/2016 Jung D14/485
D746,837 S * 1/2016 Guesnon, Jr. D14/486
D760,751 S * 7/2016 Lee D14/486
D761,280 S * 7/2016 Chung D14/486

(Continued)

Primary Examiner — Darlington Ly

Assistant Examiner — Daniel J Domino

(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**


The ornamental design for a control board device with graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a control board device with graphical user interface showing our new design; FIG. 2 is a back view thereof; FIG. 3 is a top view thereof; FIG. 4 is a bottom view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a left side view thereof; and, FIG. 7 is an enlarged view of the display screen portion of FIG. 1.

The broken lines in the drawings illustrate portions of the control board device with graphical user interface that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D768,166	S	*	10/2016	Kim	D14/486
D769,273	S	*	10/2016	Anzures	D14/486
D771,079	S	*	11/2016	Nadiadi	D14/486
D771,088	S	*	11/2016	Kim	D14/486
D771,111	S	*	11/2016	Roberts	D14/486
D773,481	S	*	12/2016	Everette	D14/485
D774,052	S	*	12/2016	Gedrich	D14/485
D781,325	S	*	3/2017	Perry	D14/486
D781,890	S	*	3/2017	Gathman	D14/486
D782,517	S	*	3/2017	Zarick	D14/486
D783,027	S	*	4/2017	Saeed	D14/485
D783,028	S	*	4/2017	Lee	D14/485
D783,030	S	*	4/2017	Lee	D14/485
D783,648	S	*	4/2017	Vazquez	D14/486
D783,662	S	*	4/2017	Zarick	D14/486
D784,391	S	*	4/2017	Yuguchi	D14/486
2016/0179315	A1	*	6/2016	Sarao	G06F 3/0484 715/771

* cited by examiner

Fig. 1




Fig.2




Fig.3



Fig.4




Fig. 5




Fig.6




Fig.7

