



US00D805638S

(12) **United States Design Patent** (10) **Patent No.:** **US D805,638 S**  
**Pappalardo** (45) **Date of Patent:** **\*\* Dec. 19, 2017**

(54) **ADAPTER COLLAR FOR A SYRINGE**

(71) Applicant: **NORDSON CORPORATION**,  
Westlake, OH (US)

(72) Inventor: **Matthew E. Pappalardo**, Ewing, NJ  
(US)

(73) Assignee: **Nordson Corporation**, Westlake, OH  
(US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/605,259**

(22) Filed: **May 24, 2017**

**Related U.S. Application Data**

(62) Division of application No. 29/551,048, filed on Jan. 9, 2016, now Pat. No. Des. 790,692, which is a division of application No. 29/471,389, filed on Oct. 31, 2013, now Pat. No. Des. 750,239.

(51) **LOC (10) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/130**

(58) **Field of Classification Search**  
USPC ..... D24/127-131, 112-114, 133, 186;  
606/181, 185; 604/264, 272, 115, 232,  
604/187, 158, 164.08, 192, 263, 163, 181,  
604/184, 198, 227; 600/101, 139, 143;  
128/200.24, 207.14, 207.15  
CPC ..... F16L 17/08; B25B 13/463; B60R 22/24;  
F42B 6/08  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D293,130 S \* 12/1987 Ashie ..... D24/128  
D397,790 S \* 9/1998 Naganuma ..... D24/127

D438,467 S \* 3/2001 Durand ..... D9/434  
D620,591 S \* 7/2010 Young ..... D24/130  
D637,713 S \* 5/2011 Nord ..... D24/129  
D659,825 S \* 5/2012 Dillard, III ..... D24/130  
D674,088 S \* 1/2013 Lev ..... D24/129  
D688,952 S \* 9/2013 Pappalardo ..... B05C 17/00506  
D9/724  
D750,239 S \* 2/2016 Pappalardo ..... D24/130  
D750,775 S \* 3/2016 Carrel ..... D24/130  
D757,935 S \* 5/2016 Solingen ..... D24/133  
D765,838 S \* 9/2016 McGarry ..... D24/130  
2007/0083164 A1 \* 4/2007 Barrelle ..... A61J 7/0053  
604/187

\* cited by examiner

*Primary Examiner* — David G Muller  
*Assistant Examiner* — Nathan M Johnston  
(74) *Attorney, Agent, or Firm* — Baker & Hostetler LLP


(57) **CLAIM**

The ornamental design for an adapter collar for a syringe, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the adapter collar.  
FIG. 2 is an enlarged perspective view of the adapter collar shown in FIG. 1 without the broken lines.  
FIG. 3 is a front elevation view thereof, the rear elevation view being identical thereto.  
FIG. 4 is a right side elevation view thereof, the left side elevation view being identical thereto.  
FIG. 5 is a top plan view thereof.  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a cross-sectional view thereof taken along line 7-7 of FIG. 5.  
The broken lines showing parts of the adapter collar for a syringe are included for the purpose of illustrating use and environment and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7