



US00D807209S

(12) **United States Design Patent** (10) **Patent No.:** **US D807,209 S**
Bernard (45) **Date of Patent:** **** Jan. 9, 2018**

(54) **SPORTS PERFORMANCE SENSOR**

(74) *Attorney, Agent, or Firm* — Andrew W. Chu; Craft Chu PLLC

(71) Applicant: **OCTONION**, Lausanne (CH)

(57) **CLAIM**

(72) Inventor: **Cedric Bernard**, San Francisco, CA (US)

The ornamental design for a sports performance sensor, as shown and described.

(73) Assignee: **Octonion**, Lausanne (CH)

DESCRIPTION

(**) Term: **15 Years**

(21) Appl. No.: **35/500,292**

(22) Filed: **Aug. 25, 2015**

(80) **Hague Agreement Data**

Int. Filing Date: **Aug. 25, 2015**

Int. Reg. No.: **DM/088161**

Int. Reg. Date: **Aug. 25, 2015**

Int. Reg. Pub. Date: **Nov. 27, 2015**

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/61**

(58) **Field of Classification Search**
USPC D10/70, 65, 38, 104.1, 61
CPC A63B 24/0003
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


- 4,751,642 A * 6/1988 Silva A63B 24/0003
463/34
- D666,112 S * 8/2012 Chang D10/70
- D710,230 S * 8/2014 Burke D10/104.1
- D714,665 S * 10/2014 Naughton D10/53
- D726,567 S * 4/2015 De Jong D10/70
- D743,824 S * 11/2015 Lumme D10/70
- D754,551 S * 4/2016 Heikkila D10/65
- D756,812 S * 5/2016 Henne D10/65

(Continued)

- 1.1 is a left side view of sports performance sensor.
- 1.2 is a right side view thereof.
- 1.3 is a top view thereof.
- 1.4 is a top right isometric view thereof.
- 1.5 is a top plan view in an illuminated state thereof.
- 1.6 is a bottom plan view thereof.
- 1.7 is a front view thereof.
- 1.8 is a top left isometric view thereof.
- 1.9 is a bottom left isometric view thereof.
- 1.10 is a second top plan view thereof.
- 1.11 is a second bottom plan view thereof.
- 1.12 is a second front view thereof.
- 1.13 is a second right side view thereof.
- 1.14 is a second rear view thereof.
- 2.1 is a front plan view of the sports performance sensor and charger shown in a disassembled state with cap removed.
- 2.2 is a front plan view of the sports performance sensor and charger shown in a disassembled state with cap in place.
- 2.3 is a top-rear right isometric view of the sports performance sensor and charger shown in an assembled state.
- 2.4 is a bottom-rear right isometric view of the sports performance sensor and charger shown in an assembled state.
- 2.5 is a rear right isometric view of the sports performance sensor and charger shown in an assembled state with cap removed.
- 2.6 is a top plan view with cap in place, thereof.
- 2.7 bottom plan view thereof.
- 2.8 left side plan view thereof.
- 2.9 is a top view thereof.
- 2.10 is a bottom view thereof.

Primary Examiner — George D Kirschbaum

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D756,814 S	*	5/2016	Pankewich, Jr.	D10/65
D763,107 S	*	8/2016	Nielsen	D10/30
D764,323 S	*	8/2016	Yang	D10/38
D766,115 S	*	9/2016	Ma	D10/38

* cited by examiner




FIG. 1.1




FIG. 1.2




FIG. 1.3




FIG. 1.4




FIG. 1.5




FIG. 1.6




FIG. 1.7




FIG. 1.8




FIG. 1.9




FIG. 1.10




FIG. 1.11




FIG. 1.12



FIG. 1.13




FIG. 1.14




FIG. 2.1




FIG. 2.2




FIG. 2.3




FIG. 2.4




FIG. 2.5




FIG. 2.6




FIG. 2.7




FIG. 2.8




FIG. 2.9




FIG. 2.10