



US00D812882S

(12) **United States Design Patent**
Jenkins et al.

(10) **Patent No.:** **US D812,882 S**
(45) **Date of Patent:** **** Mar. 20, 2018**

(54) **FOOTWEAR SOLE**

(71) Applicant: **TBL Licensing LLC**, Stratham, NH
(US)

(72) Inventors: **Kyle M. Jenkins**, Reading, MA (US);
Pierome Sar, Stratham, NH (US)

(73) Assignee: **TBL Licensing LLC**, Stratham, NH
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/572,482**

(22) Filed: **Jul. 28, 2016**

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/959**; D2/947; D2/951; D2/957;
D2/960

(58) **Field of Classification Search**

USPC D2/902, 906, 908, 916, 918, 925,
D2/946–962, 977; 36/1, 1.5, 3 B, 22 R,
36/24.5, 25 R, 28, 32 R, 34 R, 59 C,
36/67 A, 101–107, 114–116, 117.3, 117.4,
36/124–136
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D272,963 S * 3/1984 Muller D2/908
D287,182 S * 12/1986 Stubblefield 36/32 R

D287,304 S * 12/1986 Peterson D2/956
D296,724 S * 7/1988 Peterson D2/957
D301,657 S * 6/1989 Brown D2/972

(Continued)

OTHER PUBLICATIONS

Men's Flyroam Sport Chukka Shoes, Timberland.com, [online],
[site visited Apr. 28, 2017]. <URL: <https://www.timberland.com/shop/mens-footwear/mens-fly-roam-sport-chukka-shoes-wheat-a1hrp260>>.*

(Continued)

Primary Examiner — T. Chase Nelson
Assistant Examiner — Jonathan J. Han
(74) *Attorney, Agent, or Firm* — Lerner, David,
Littenberg, Krumholz & Mentlik, LLP

(57) **CLAIM**



The ornamental design for a footwear sole, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a footwear sole in accordance with our ornamental design;
FIG. 2 is a right side view of the footwear sole in accordance with FIG. 1;
FIG. 3 is a left side view of the footwear sole in accordance with FIG. 1;
FIG. 4 is a front elevational view of the footwear sole in accordance with FIG. 1;
FIG. 5 is a back elevational view of the footwear sole in accordance with FIG. 1;
FIG. 6 is a top plan view of the footwear sole in accordance with FIG. 1; and,
FIG. 7 is a bottom plan view of the footwear sole in accordance with FIG. 1.

Broken lines are environmental only and form no part of the claimed design. Broken lines adjacent shaded areas of the design represent the bounds of the claimed design and are

(Continued)



not themselves a part of the claimed design. Stippling marks represent a concavity of an area of the design.

1 Claim, 6 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D329,130	S *	9/1992	Yoon	D2/954
D337,426	S *	7/1993	Dyer	D2/957
D363,371	S *	10/1995	Werman	D2/947
D368,575	S *	4/1996	McClain	D2/916
D390,346	S *	2/1998	Loveder	D2/953
D415,610	S *	10/1999	Cahill	D2/951
D433,790	S *	11/2000	Oliver	D2/947
D438,697	S *	3/2001	Matis	D2/902
D440,748	S *	4/2001	Morgan	D2/953
D441,946	S *	5/2001	Agnew	D2/953
D457,296	S *	5/2002	Burt	D2/902
D476,141	S *	6/2003	Matis	D2/954
D476,142	S *	6/2003	Matis	D2/954
D496,525	S *	9/2004	Dykstra	D2/957
D578,294	S *	10/2008	Mervar	D2/969
D579,186	S	10/2008	Mervar et al.	
D589,692	S *	4/2009	McClaskie	D2/951
D592,847	S *	5/2009	Rosenbaum	D2/951
D593,290	S *	6/2009	Chen	D2/951
D603,151	S *	11/2009	Roundhouse	D2/951
D612,135	S	3/2010	Borel et al.	
D613,489	S *	4/2010	Horton	D2/951
D655,902	S *	3/2012	Debiase	D2/951
D656,304	S *	3/2012	Debiase	D2/951
8,151,488	B2 *	4/2012	Aveni	A41D 19/01547 36/11.5
D662,296	S *	6/2012	Christopherson	D2/951
D662,695	S *	7/2012	McVicker	D2/902
D675,418	S *	2/2013	Van Zyll De Jong	D2/945
D677,451	S	3/2013	Amphyon	
D687,220	S *	8/2013	Aveni	D2/972
D702,422	S *	4/2014	Dougherty	D2/902
D712,128	S *	9/2014	Zaedow	D2/951
D721,474	S	1/2015	Miner	
D722,220	S	2/2015	Miner	
D722,425	S	2/2015	Cin	
D724,830	S *	3/2015	Joseph	D2/951
D725,357	S	3/2015	Miner	

D735,454	S *	8/2015	Yun	D2/951
D737,038	S *	8/2015	Dolce	D2/972
D740,012	S *	10/2015	O'Connor	D2/972
D744,728	S *	12/2015	Remmele	D2/908
D746,561	S *	1/2016	Bikowski	D2/951
D782,799	S *	4/2017	Caron	D2/947
2006/0059715	A1 *	3/2006	Aveni	A43B 7/08 36/45
2013/0019505	A1 *	1/2013	Borel	A43B 13/127 36/103

OTHER PUBLICATIONS

Men's Flyroam Oxford Shoes, Timberland.com, [online], [site visited Apr. 28, 2017]. <URL: <https://www.timberland.com/shop/mens-footwear/mens-fly-roam-oxford-shoes-grey-a1kxm100>>.*

Timberland's Fresh New Flyroam Is the Dynamic Sneakerboot You Need This Spring, Highsnobiety.com, by Jack Drummond, Feb. 17, 2017, [online], [site visited Apr. 28, 2017]. <URL: <http://www.highsnobiety.com/2017/02/17/timberland-flyroam-sneakerboot/>>.*

Timberland's Flyroam Collection Is Made for Urban Seekers, Hypebeast.com, Feb. 2, 2017, [online], [site visited Apr. 28, 2017]. <URL: <https://hypebeast.com/2017/2/timberland-flyroam-collection-353>>.*

Adidas Previews the Future of 3D Printed Sneakers, SoleCollector.com, by Brian Dunne, Oct. 7, 2015, [online], [site visited Apr. 28, 2017]. <URL: <https://solecollector.com/news/2015/10/adidas-futurecraft-3d-printed-running-sneakers>>.*

Nike Air Huarache, Nike.com, [online], [site visited Apr. 28, 2017]. <URL: http://store.nike.com/us/en_us/pd/air-huarache-mens-shoe/pid-11380351/pgid-10978234>.*

SportShoes.com Brochure "Spring, no fun standing still", Everun Continuous Cushioning Saucony, printed Jul. 27, 2016, p. 3 and p. 24.

Amazon.com, "Clarks Men's Lace-Up Trainers Shoes Seremax Avion", downloaded Sep. 2, 2016, pp. 1-3.

Amazon.com, "Clarks Men's Lace-Up Trainers Shoes Seremax Avion", Various views of shoes, downloaded Sep. 2, 2016, pp. 1-7.

Amazon.com, "Clarks Men's Seremax Lace Lace Up Sneaker ", downloaded Sep. 2, 2016, p. 1-3.

Amazon.com, "Clarks Men's Seremax Lace Lace Up Sneaker ", Various images, downloaded Sep. 2, 2016, pp. 1-7.

Taiwanese Search Report (English translation only) for Application No. 105307033, dated May 5, 2017.

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7