



US00D813231S

(12) **United States Design Patent** (10) **Patent No.:** **US D813,231 S**  
**Yoshida et al.** (45) **Date of Patent:** **\*\* Mar. 20, 2018**

(54) **WEARABLE DEVICE**

(71) Applicant: **Sony Corporation**, Tokyo (JP)

(72) Inventors: **Takaaki Yoshida**, Kanagawa (JP);  
**Yasuhide Hosoda**, Kanagawa (JP)

(73) Assignee: **SONY CORPORATION**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/547,458**

(22) Filed: **Dec. 3, 2015**

**Related U.S. Application Data**

(63) Continuation of application No. 29/484,465, filed on Mar. 10, 2014, now Pat. No. Des. 746,286.

(30) **Foreign Application Priority Data**

Dec. 27, 2013	(CN)	2013 3 0651424
Dec. 27, 2013	(JP)	D2013-030963
Dec. 27, 2013	(JP)	D2013-030964
Dec. 27, 2013	(JP)	D2013-030965
Dec. 27, 2013	(JP)	D2013-030966
Dec. 27, 2013	(JP)	D2013-030967
Dec. 27, 2013	(JP)	D2013-030968
Dec. 27, 2013	(JP)	D2013-030969
Dec. 27, 2013	(JP)	D2013-030970
Dec. 27, 2013	(JP)	D2013-030971
Dec. 27, 2013	(JP)	D2013-030972

(51) **LOC (11) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/372**

(58) **Field of Classification Search**  
USPC ..... D14/372, 496, 432, 371, 125, 126, 129,  
D14/299; D16/300-342; 351/158, 153,

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D669,471 S \* 10/2012 Hwang ..... D14/372  
D716,808 S 11/2014 Yeom et al.

(Continued)

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Michael Best and Friedrich LLP

(57) **CLAIM**

The ornamental design for a wearable device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top, right perspective view of a first embodiment of a remote controller for a wearable device showing our new design;

FIG. 2 is a rear, top, right perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof; and

FIG. 8 is a bottom plan view thereof.

FIG. 9 is a front, top, right perspective view of a second embodiment of a remote controller for a wearable device showing our new design;

FIG. 10 is a rear, top, right perspective view thereof;

FIG. 11 is a front elevational view thereof;

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a left side elevational view thereof;

FIG. 14 is a right side elevational view thereof;

FIG. 15 is a top plan view thereof; and

FIG. 16 is a bottom plan view thereof.

(Continued)







FIG.1





FIG. 2









FIG. 7




FIG. 8




FIG. 9







FIG. 10









FIG. 15




FIG. 16

