



US00D813231S

(12) **United States Design Patent** (10) **Patent No.:** **US D813,231 S**
Yoshida et al. (45) **Date of Patent:** **** Mar. 20, 2018**

(54) **WEARABLE DEVICE**

(71) Applicant: **Sony Corporation**, Tokyo (JP)

(72) Inventors: **Takaaki Yoshida**, Kanagawa (JP);
Yasuhide Hosoda, Kanagawa (JP)

(73) Assignee: **SONY CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/547,458**

(22) Filed: **Dec. 3, 2015**

Related U.S. Application Data

(63) Continuation of application No. 29/484,465, filed on Mar. 10, 2014, now Pat. No. Des. 746,286.

(30) **Foreign Application Priority Data**

Dec. 27, 2013	(CN)	2013 3 0651424
Dec. 27, 2013	(JP)	D2013-030963
Dec. 27, 2013	(JP)	D2013-030964
Dec. 27, 2013	(JP)	D2013-030965
Dec. 27, 2013	(JP)	D2013-030966
Dec. 27, 2013	(JP)	D2013-030967
Dec. 27, 2013	(JP)	D2013-030968
Dec. 27, 2013	(JP)	D2013-030969
Dec. 27, 2013	(JP)	D2013-030970
Dec. 27, 2013	(JP)	D2013-030971
Dec. 27, 2013	(JP)	D2013-030972

(51) **LOC (11) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/372**

(58) **Field of Classification Search**
USPC D14/372, 496, 432, 371, 125, 126, 129,
D14/299; D16/300-342; 351/158, 153,

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D669,471 S * 10/2012 Hwang D14/372
D716,808 S 11/2014 Yeom et al.

(Continued)

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Michael Best and Friedrich LLP

(57) **CLAIM**

The ornamental design for a wearable device, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right perspective view of a first embodiment of a remote controller for a wearable device showing our new design;

FIG. 2 is a rear, top, right perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof; and

FIG. 8 is a bottom plan view thereof.

FIG. 9 is a front, top, right perspective view of a second embodiment of a remote controller for a wearable device showing our new design;

FIG. 10 is a rear, top, right perspective view thereof;

FIG. 11 is a front elevational view thereof;

FIG. 12 is a rear elevational view thereof;



FIG. 13 is a left side elevational view thereof;

FIG. 14 is a right side elevational view thereof;

FIG. 15 is a top plan view thereof; and

FIG. 16 is a bottom plan view thereof.

(Continued)



Portions in broken lines are for illustrative purposes only and form no part of the claimed design. Dot-dash broken lines define the boundaries of, but not included in, the claimed design.

1 Claim, 10 Drawing Sheets

(58) **Field of Classification Search**

USPC 351/144; 345/7-9, 905; 455/344;
 348/115, 53, 121, 739
 CPC G02B 27/017; G02B 27/0158; G02B
 27/0161; G02B 27/0181; G02B 27/0185;
 G02B 27/0189

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D718,305 S 11/2014 Olsson et al.
 D719,568 S 12/2014 Heinrich et al.

D719,569 S 12/2014 Heinrich et al.
 D719,570 S 12/2014 Heinrich et al.
 D719,572 S 12/2014 Lee et al.
 D719,952 S 12/2014 Kim et al.
 D722,054 S 2/2015 Serota
 D724,082 S 3/2015 Olsson et al.
 D724,083 S 3/2015 Olsson et al.
 D724,084 S 3/2015 Choo et al.
 D724,559 S 3/2015 Reaux
 D726,180 S 4/2015 Roat et al.
 D727,317 S 4/2015 Olsson et al.
 D727,318 S 4/2015 Marin et al.
 D730,352 S 5/2015 Chow et al.
 D733,709 S 7/2015 Kawai
 D734,332 S 7/2015 Olsson et al.
 D741,324 S * 10/2015 Bosveld D14/372
 D748,628 S * 2/2016 Bosveld D14/372
 D759,015 S * 6/2016 Mehin D14/372
 D765,074 S * 8/2016 Katopis D14/372
 D773,461 S * 12/2016 Jiang D14/372
 D780,751 S * 3/2017 Park D14/372
 D781,288 S * 3/2017 Park D14/372
 D783,019 S * 4/2017 Letbetter D14/372

* cited by examiner

FIG. 1





FIG. 2









FIG. 7




FIG. 8




FIG. 9





FIG. 10









FIG. 15




FIG. 16

