



US00D833982S

(12) **United States Design Patent** (10) **Patent No.:** **US D833,982 S**
Vierjärvi et al. (45) **Date of Patent:** **** *Nov. 20, 2018**

(54) **EQUIPMENT FOR CONTROL OF ELECTRIC POWER**

(71) Applicant: **ABB Technology Oy**, Helsinki (FI)

(72) Inventors: **Kari Vierjärvi**, Espoo (FI); **Ville Piironen**, Espoo (FI)

(73) Assignee: **ABB Technology Oy**, Helsinki (FI)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/597,960**

(22) Filed: **Mar. 21, 2017**

(30) **Foreign Application Priority Data**

Sep. 23, 2016 (EP) 003391085

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/163; D13/184**

(58) **Field of Classification Search**
USPC D13/158, 162, 163, 184
CPC ... H02B 1/01; H02B 1/26; H02B 1/30; H05K 5/00; H05K 5/0004; H05K 5/0008; H05K 5/0017; H05K 5/03; H05K 5/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D193,301 S * 7/1962 Brokaw D13/163
D210,078 S * 2/1968 Eck D13/163
D349,888 S * 8/1994 Yamamoto D13/163
D365,086 S * 12/1995 Spechts D13/184
5,822,180 A * 10/1998 Deschamps H02B 1/015
361/627
D503,931 S * 4/2005 Kauranen D13/184

D512,696 S * 12/2005 Nurmi D13/162
D521,466 S * 5/2006 Nurmi D13/184
D543,161 S * 5/2007 Stepputat D13/184
D588,081 S * 3/2009 Lewis, II D13/184
7,952,042 B2 * 5/2011 Coomer H02B 11/02
200/293
D653,224 S * 1/2012 Jonas D13/184
2014/0104759 A1 * 4/2014 Takano H05K 7/1432
361/637
2015/0173253 A1 * 6/2015 Lewis, II H05K 5/0004
312/223.2
2016/0219729 A1 * 7/2016 Omari H02B 1/26
2016/0255421 A1 * 9/2016 Farrar H04Q 9/00
340/870.07
2016/0372896 A1 * 12/2016 Strong H02B 1/06
2017/0077831 A1 * 3/2017 Yanagimoto H05K 7/1432
(Continued)

Primary Examiner — Selina Sikder

(74) Attorney, Agent, or Firm — Taft Stettinius & Hollister LLP


(57) **CLAIM**

The ornamental design for equipment for control of electric power, as shown and described.

DESCRIPTION

FIG. 1 is a perspective side view of equipment for control of electric power.
FIG. 2 is a front side view of the equipment shown in FIG. 1.
FIG. 3 is a back side view of the equipment shown in FIG. 1.
FIG. 4 is a right side view of the equipment shown in FIG. 1.
FIG. 5 is a left side view of the equipment shown in FIG. 1.
FIG. 6 is a top side view of the equipment shown in FIG. 1; and,
FIG. 7 is a bottom side view of the equipment shown in FIG. 1 wherein the broken lines are shown for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0150636 A1* 5/2017 Segroves H05K 7/1489
2017/0172015 A1* 6/2017 Yu H05K 7/20909

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7